

RECEIVED

STATE ENGINEER
SALEM, OREGON

Permit No. 30400

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George D. Wells
of Termonia Oregon
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is nehalem River

a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 79 1/5

cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 300 ft. N. and 1200 ft. from the N.E. corner of Tract 18 in Malheur Riverside View. Water to be used from one set at a time

being within the W 1/2 N. W. 1/4 Tracts 6-17 of Sec. 3, Tp. 4 N.

R. 4 W., W. M., in the county of Columbia

5. The pipe line to be 530 ft

in length, terminating in the W 1/2 of N W 1/4 of Sec. 3, Tp. 4 N.

R. 4 W. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____

(c) If water is to be pumped give general description 1 1/4" Centrifical

Discussion 5HP air cooled eng.
Lift 23 ft

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 530 ft.; size at intake, 3" in.; size at 270 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 23 ft. Is grade uniform? yes Estimated capacity, 1/4 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
4	N.R. 4 WWM	3		15.58
Beginning at the Northwest corner of Tract No. 5 in Malmsten's Riverside View and running to a point on Section line 1550.63 feet in a Northerly direction; thence 290 feet in an Easterly direction to a point in the middle of the Nehalem River; thence up the middle of the said river in a Southerly direction to a point being the Northeastern corner of Tract No. 18, Malmsten's Riverside View, thence in a Westerly direction 275 feet; thence in a Southerly direction along West side of County Road to the Northeast corner of Tract No. 5 Malmsten's Riverside View; thence in a Westerly direction 274 feet to place of beginning all in Section 3, Township 4 North of Range 4 West of the Willamette Meridian, Clatsop County, Oregon.				
4N	4W	3	60x LOT 9 (NW 1/4 NW 1/4)	4.30
		3	SW 1/4 NW 1/4	1007
		4	60x LOT 1 (NE 1/4 NE 1/4)	1.31
		4	SE 1/4 NE 1/4	.82

(a) Character of soil

Clay and sand mixture

(b) Kind of crops raised

mostly pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 700.00
- 12. Construction work will begin on or before April 1st 1951
- 13. Construction work will be completed on or before July 1st 1951
- 14. The water will be completely applied to the proposed use on or before Aug 15th - 51

George D. Wells
(Signature of applicant)

Remarks: I have purchased Parcel #13 = 1.56A on the north end of map in the N.W. 1/4 of the N.W. 1/4 Sec 3, T. 4 P. 4 Range 4 W.W.M. Also the triangle cornering across the section line marked on map which = 2.13A. We haven't had these tracts recorded yet so I don't have the legal land description for the 2.13 A tract. These two tracts with the 12.81 A tract makes a total of 16.50 A that I want to irrigate. To avoid using such a long pipe line I want to make two places of diversion from the river as marked on the map.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.207 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Nehalem River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 28, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 20th day of November, 1951

Charles E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 26
Permit No. 20406

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of June, 1951, at 8:00 o'clock A. M.
Returned to applicant:

Corrected application received:

Approved:

November 16, 1951 50 of
Recorded in book No. 2-1(1)
Permits on page

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 1 Page 9
Fees Paid \$