

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

We Marguerite Thomason & Ruby D. Nutting
 of Box 241 Oswego
 State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is *Sometimes known as Coffee Lake Creek, an unnamed stream*
partly formed by springs a tributary of *Willamette River*

2. The amount of water which the applicant intends to apply to beneficial use is *0.05*
 cubic feet per second.

**3. The use to which the water is to be applied is *irrigation*
 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located *2125 ft. S* and *65 ft. E* from the *NW*
 corner of *the Thos. Bailey DLG*
 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the *SW 1/4 NW 1/4* of Sec. *23* Tp. *3 S*
 R. *1 W* W. M. in the county of *Clackamas*
 (E. or W.) (Give smallest legal subdivision) (N. or S.)

5. The *to be*
 (Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the *of Sec. Tp.*
 (Smallest legal subdivision) (N. or S.)
 R. *W. M., the proposed location being shown throughout on the accompanying map.*
 (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam *No dam* feet, length on top feet, length at bottom
 feet; material to be used and character of construction
 (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

1 HP elec motor (Size and type of pump)
 (Size and type of engine, motor, etc.) total head water, etc.

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00
12. Construction work will begin on or before Has been commenced
13. Construction work will be completed on or before 2 yrs after approval
14. The water will be completely applied to the proposed use on or before 3 yrs

Marguerite Thomason
Ruby D. Nutting
 (Signature of applicant)

Remarks:

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correction: on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same.
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.045 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream (sometimes known as Coffee Lake Creek)

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 9, 1951

Actual construction work shall begin on or before November 16, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of November, 1951

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26174

Permit No. 20421

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 9th day of July,
1951, at 4:05 o'clock P. M.
Returned to applicant:

Corrected application received:

Approved:

November 16, 1951

Recorded in book No. 50 of

Permits on page 242

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 50 Page 242

Fees Paid