

23559

2 2579 235

Permit-

Permit No. 20411

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Snady Beard (Name of applicant) of Route 5, Box 306, Hillsboro, (Mailing address) Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tualatin River (Name of stream) a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 675 G.P.M. at 130 feet head. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2162 ft. S (N. or S.) and 2683 ft. E (E. or W.) from the NW corner of Section 21 and a second point of diversion 1597 ft. S (Section or subdivision) and 3743 ft. E. from the NW corner of Section 21

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

both being within the SW 1/4 of NE 1/4 of Sec. 21 Tp. 13

R. 2W W. M. in the county of Washington

5. The pipe line (Main ditch, canal or pipe line) to be 2+1/2 (Miles or feet) in length, terminating in the SW 1/4 of Sec. 21 Tp. 13 (Smallest legal subdivision) (N. or S.)

R. 2W W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet: material to be used and character of construction (Loose rock, concrete, masonry)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total horsepower to be used)

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Property on which water is to be used is a part of that more explicitly described by applicant as follows:				
Beginning at an iron monument in the North line of sec. 21 - township 1 south, range 2 west of the Willamette Meridian, which is south 89° 21' east 1395.2 feet from the north-west corner of said sec. thence south 1342.56 ft thence east 2456.2 feet to the center of the Tualatin river; thence up the center of said river as follows north 12° 21' west 720.5 ft. thence north 49° 59' west 211.5 ft; thence north 78° 23' west 258.3 ft; thence north 49° 21' west 112 ft; thence north 14° 56' west 93.1 ft; thence north 12° 7' east 100.2 feet; thence north 40° 36' East 92.2 ft; thence north 62° 00' east 210.7 ft. thence				
(Continued under Remarks)				
1 South	2 West	21	NE ¹ / ₄ of NW ¹ / ₄	22
1 South	2 West	21	NW ¹ / ₄ of NW ¹ / ₄	22
1 South	2 West	21	SE ¹ / ₄ of NW ¹ / ₄	36
1 South	2 West	21	SW ¹ / ₄ of NE ¹ / ₄	33
1 South	2 West	21	NW ¹ / ₄ of SE ¹ / ₄	10

(If more space required, attach separate sheets)

- (a) Character of soil *Chernozem*
- (b) Kind of crops raised - diversified.

Power or Mining Purposes

- 9. (a) Total amount of power to be developed _____ thousand horsepower
- (b) Quantity of water to be used for power _____ sec. ft.
- (c) Total fall to be utilized _____ feet.
- (d) The nature of the works by means of which the power is to be developed _____
- (e) Such works to be located in _____ of Sec _____

Tp. _____, R. _____, W. M. _____

- (f) Is water to be returned to any stream? _____ (Yes or No)
- (g) If so, name stream and locate point of return _____

_____ Sec. _____, Tp. _____, R. _____, W. M. _____

- (h) The use to which power is to be applied is _____
- (i) The nature of the mines to be served _____

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 9005.00

12. Construction work will begin on or before May 1 1902

13. Construction work will be completed on or before May 1 1903

14. The water will be completely applied to the proposed use on or before May 1 1904

Shadybeard (Signature of applicant)

Remarks: (Continued from Item 2) leaving the Tualatin River north 67° 39' west 249.6 ft; thence north 89° 59' west 500 ft; thence south 14° 30' west 338 ft; thence south 33° 56' west 149.1 ft; thence south 63° 6' west 208.8 ft; thence south 72° 41' west 143.3 ft; thence North 75° 41' West 297.2 ft; thence North 48° 45' West 297.4 ft; thence North 66° 46' West 377.3 ft; thence North 89° 21' West 75.6 ft to the place of beginning, excepting therefrom a strip of land 20 ft. in width from west boundary thereof. Commencing at a point 736.34 ft south of the place of beginning and extending in a southerly direction to the Tualatin River.

That portion of sec. 21, township 1 south, Range 2 West of the Willamette Meridian, described as follows: Beginning at an iron Monument located south 89° 21' east 1305.23 ft and south 1342.56 ft. from northwest corner of said sec. 21; thence east 2456.2 ft. to center of the Tualatin River; thence down center of said river following the meanders thereof to a point directly south of the place of beginning. And being the same real estate conveyed to the Union Central Life Insurance Company by deed March 7, 1937 and recorded in book 162, page 259, of the records of Washington County, Ore.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before . 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON.

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.5 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated... diversion of not to exceed 2 acre feet per acre... the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 1.5 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this day of 19

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 26, Oregon Laws 1933.

Application No. 6587
Permit No. 21111

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19 day of July 1951, at 5:00 o'clock P. M. Returned to applicant:

Corrected application received:

Approved:

November 16, 1951

Recorded in book No. 50 of

Permits on page 14

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 72 A

Fees Paid