To Appropriate the Public Waters of the State of Oregon

I,	H. E. Conger	······
of		(Name of applicant) Route 2, Box 1:03
State of	(Mailing address) Oregon	
		he State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the	applicant is a corporation,	give date and place of incorporation
1. The	e source of the proposed ap	propriation is Unnamed sirear.
• • • • • • • • • • • • • • • • • • • •	Bear Creek	, a tributary ofRogue River
2. The	e amount of water which th	he applicant intends to apply to beneficial use is
		(If water is to be used from more than one source, give quantity from each) to be applied is Stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	for 60 to 100	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The		ted
corner of	2001.12 <u>1</u>	(Section or subdivision)
• • • • • • • • • • • • • • • • • • • •	Mer Ames Test	north and and fret exet, and a same
***************************************		Mac. Lrogressive.
	(If prefer	able, give distance and bearing to section corner)
	(If there is more than one point	of diversion, each must be described. Use separate sheet if necessary)
being within	the Give smallest	legal subdivision) of Sec. 23 , Tp. 37 (N or S)
		Juckeum.
5. The	(Main ditch, ca	nal or pipe line) (Miles or feet)
		nallest legal subdivision) (N. or S.)
R	W. M., the propose	ed location being shown throughout on the accompanying map.
	1	DESCRIPTION OF WORKS
Diversion Wo	orks—	
6. (a)	Height of dam	feet, length on top feet, length at bottom
	feet; material to be use	ed and character of construction (Loose rock, congrete, magonry,
rock and brush, tire	nber crib. etc wasteway over or aroun	nd dam)
(b) De	escription of headgate	(Timber, concrete, etc., number and size of openings)
		e general description (Size and type of pump)
	***	ine or motor to be used, total head water is to be lifted, etc.)
	••••••	

eadgate. At head	igate: width or	top (at water	line)	•••	feet; width on bottom		
housand feet.			feet; gra	de	feet fall per one		
•		miles from h	eadoate: width on to	op (at water	line)		
		•	-		ster feet		
			•	, acpin of wi	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
rade		•	•				
•		-			in.; size at ft		
		•	•		erence in elevation between		
nt ake and place (of use,	ft. 1	Is grade uniform?		Estimated capacity		
••••••••••••••••••••••••	sec. ft.						
		irrigated, or p	lace of use				
Township	Range	Section	Forty-acre Tr	act	Number Acres To Be Irrigated		
and the second s	agile transposition and a major or a second or a	- Interestation of the consequence and appropriate to the consequence of the consequence	MATERIAL CONTROL OF CONTROL OF CONTROL				
57 S.	1 4.	22	VI XI		8*7.5%		
		23	5/2 SW				
	A				Ellowers C. 4 Miles and Annie - Mark - Enrolle care - E. C Arts - C Eldow		
					ganna in sempromentation (Appendication of the Control of the Cont		
	1						
	AND MAY 1 Sec. 6 of countries the side of confidence and sec. 1	w - hit house. I to 8 - w his weller-light-tradition with offered	and an arrange of the second s				
-					Construction of the Constr		
THE COMMISSION OF THE PROPERTY OF THE STATE					AND THE PARTY OF T		
		To recompanie to the report		nily or all the con-	and the second of the second o		
		(If more spac	e required, attach separate si	heet)			
(a) Chara	cter of soil	•					
·	of crops raised						
Power or Mining				*.			
_	tal amount of p	oower to be de	veloped		, theoretical horsepowe		
	antity of wate		•	se	c. ft.		
	tal fall to be u		F	feet.	•		
	•		ns of which the pou		leveloned		
(a) 1n	e nature of the	works by mea	ins of wrich the pou	er is to be a	tentiopea		
(e) Su	ch works to be	located in	(Legal subdivi	usion)	of Sec.		
	, R						
			(Yes or No)				
(g) If	so, name strea	•	ooint of return				
• • • • •	•		, Tp.	(No. N. or S.)	., K, W, W.		
(h) Th	e use to which	power is to be	applied is		and the second second		
()							

eadgate. At he	adgate: width or	top (at water	line)	feet; width on bottom	
	. feet; depth of t	feet fall per one			
ousand feet. (b) At		miles from he	eadoate: width on too (at wa	ster line)	
		•		water feet,	
				, jest	
	feet fa	•	•	tu satura ak	
				in.; size at	
		-		difference in elevation between	
it ake a nd place	e of use,	ft. 1	's grade uniform?	Estimated capacity	
•••••	sec. ft.				
		irrigated, or p	lace of use		
Township	IE MESULA Range	Section	Forty-acre Tract	Number Acres To Be Irrigated	
ر ۲ S.	1 w.	22	WE SE!	s**ce?:	
managangan salama kaya ya salahanay naya urahda kana sanaganga sa		23	SK ² SW ²		
				- Annae - Na	
arman distingnah pagagangan distingnah distingnah di ambaha sebah di					
erendentiti i u mandandingdingan gan mgagabi i i i	T estable - collegende replace - con de constituciones e reproperen	age-commission of advantage-commission and the strategies of a section reference			
*****				Andrew agent and the control of the	
annimalika i nijakannining kira, ar 16.7 / aga		gan da gentagangan yan aydang			
-		(If more space	required, attach separate sheet)		
(a) Char	acter of soil				
	l of crops raised				
			·		
Power or Minin 9. (a) T	ig Furposes— otal amount of p	oower to be der	veloped	. theoretical horsepowe	
	uantity of wate		-	. sec. ft.	
	otal fall to be u		. feet.		
	•		ns of which the power is to l	he developed	
(u) 1	ne nature of the	works og med	ns of which the power is to	se developed	
				-4 C	
•	uch works to be		(Legal subdivision)	of Sec.	
		., W. urned to any s	M. tream?(Yes or No)		
(g) I	f so, name strea	m and locate p	oint of return		
		, Sec.	, Tp.	, R, W	
(h) T	The use to which	power is to be	applied is		
		-	- -		

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Property description as copied from Tax Deed (H. B. Conger, et ux, Route w, Medford, Oregon) Recorded in Jackson County Records, Folume. 235, Pages 481-2.

Beginning at a point on the South section line of Section 23, Township 37 South, Range 1 W., Willamette Meridian, (14.14 chains) 933.24 feet East of the North and South center line of said Section 23 at a post set for corner;

Running thence North (20 chains) 1,320 feet;
Thence West 3583.2 feet, more or less to West line of Section 23;
Thence South 298.1 feet, more or less, to the North boundary of the county road known as Medford-Climax Road;

Thence N. 88 Deg. 20' W. along North boundary of said road

611.0 feet;

Thence 157.2 feet following the arc of a 490.9 foot radius curve to the right, the long chord of which curve bears N. 79 Deg. 09' W. 156.5 feet;

Thence N. 69 Deg. 59' W. 0.4 feet;

Thense 87.6 feet following the arc of a 470.8 foot radius curve to the left, the long chord of which curve bears N. 75 Deg. 20' W. 87.5 feet;

Thence South along the East boundary of D.L.C. No. 62, 1,089.0

feet to the Southeast corner of D.L.C. No. 62;

Thence N. 89 Deg. 51! W. 2,372.2 feet to a 1" x 36" galvanized iron pipe monument:

Thence South (23.20 chains) 1,531.2 feet to the North line of

D.L.C. No. 58; "

Thence East 646.0 feet, more or less, to a granite conument set for the Northeast corner of D.L.C. No. 58;

Thence continuing East 6,140 feet, more or less, to a point (12.90 chains) 851.4 feet East of the North and South center line of Section 26;

Thence North to the North line of said Section 26; Thence East on said Sect on line 81.8 feet, more or less, to the poi t of beginning.

Excliding any and all parts of county road rights of lays.

ن ن

STATE ENGINEER

	of
Country (Country)	nty, having a present population of
nd an estimated population of	in 19
(b) If for domestic us	se state number of families to be supplied
	(Answer questions 11, 15, 13, and 16 in all cases)
11. Estimated cost of propo	osed works, \$200.00
	ll begin on or before when your from date of priority.
	Il be completed on or before <u>a grade areas and and areas of and areas of areas.</u>
	spletely applied to the proposed use on or before
······································	Magnetury of applicant) Whedford (re R#24)
Remarks: This appl	ication for permit to replace Permit 1931(issued
March 10, 1950, can	celled under location 116-130 0.7.1.i.
Releasement of water	r. herein filed on by H. E. Sorgen, 1
	. strict has not been voided and is to be
	lication in the same names as on Parmit 1932 .
•••••	
······································	
	•
	······································
	······································
••••••••••••••••••••••••••••••••••••••	· · · · · · · · · · · · · · · · · · ·
······································	
·	
• · · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON,	
STATE OF OREGON, County of Marion,	
STATE OF OREGON, County of Marion,	
STATE OF OREGON, County of Marion, This is to certify that I h	
STATE OF OREGON, County of Marion, This is to certify that I I maps and data, and return the s	have examined the foregoing application, together with the accompanying

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	' TO EXISTIN										
	right herein										
and shall t	not exceed	0.50	cu bi	feet 🚎	r secoi	nd measus	red at ti	he point	of diversion	i from t	he
rtream, or	its equivalen	t in case o	f rotation	with o	ther w	ater users	s, from .	an.u	nnamed st	roam	
		•••••				•••••					
The	use to which	this water	r is to be	applied	is	·····stock	(······	*******		••	
		••••	·····•••••••••••••••••••••••••••••••••	•·•···································	· • • • · · · · · · · · · · · · · · · ·			••••••			
		• • • • • • • • • • • • • • • • • • • •	•••••••		••	•••••		- -			
_	o r irr igation, ti									-	er
second				• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	••••	•••••			
		**** *******			·····		•••••••				•••
	••••	••••		***			•····•		••••••••		
•••••				·••···································		····	•	*************			•
•		······································					• • • • • • • • • • • • • •				
		**** ********	···········	******			•			• • •	
	•			***********						***	
•••••		*************		****			• • • • • • • • • • • • • • • • • • • •		•• ••••		
	be subject to s									fficer.	
The	priority date	of this pe	rmit is	Ju	h Xfi.i.s			*********			
Act	ual constructi	on work s	hall begi	n on or	before	•••••••••••••••••••••••••••••••••••••••	Malian (2011).	نوا نينجا ، ، و، منجا ،		and sh	all
thereafter	be prosecute	d with rec	isonable o	liligence	and b	e complet	ed on or	r before			
Cctobe	m.1, 19,3		••••••	• • • • • • • • • • • • • • • • • • • •							
Cor	nplete applica	tion of th	e water t	o the pr	oposed	use shall	be mad	e on or b	efore .		
lation (الممارالية ولدائلا		• • • • • • • •								
WI	TNESS my ha	nd this	<u>1</u> . •	day	of	A		6.7	19	. ,	
					4	olu	برست م	J 6	STAT.	E ENGINEE	 R
Pern	uts for power devel	opment are su	ibject to the	payment of	annual i	lees as provid	led in secti	ons 1 and 2,	chapter 74, Ore	igen Laws 1	L 933 .
			the	•	:1 :: :			ð	HER.	, 'a	
7 ~	SEIC.		ed in	M.	[! ::				ENGINEER	, ×	
6.2.2.2 6.114.3.	IE PUB STATE	No.	sceiv alem		ii 	•		50		Page	
700	T THE THE SN	District No.	st re	2 G		ed:		1951	STRICKLIN STAT	1	
ł	MI THI	Dis	ıs fir ineer) y		ecein		ູ້ .	STRI	À	
n No	PERMI PPRIATE ' RS OF TH		nt we Engi	day of July	ant:	ion 1		ber ok N	ធ		
Application No. Permit No.	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON		ume1 ìtate	day of	pplic	licat		November 16,	page CHAS.	in N	••
pplic ermi	APP WA1	No.	instr the S		l to a	dv p	ઃ ન્દ્રં	Nc ded i	d w	Bas	u
A A	0Ţ	Division No.	This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the 20. 1951. at	Returned to applicant:	Corrected application received:	Approved	November 16 Recorded in book No.	Permits on page CHAS	Drainage Basin No.	Fees Faid
]) } }		Divi	1 offic	on t 19 S	Rett	Corr	App	: PC	Peri	Drai	ree
••		- IF	-			_	. •		-		