

Permit

Permit No. 20461

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Roland L. Angst and Lucile L. Angst of 121 Amosy St Eugene Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Debrick Slough a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1/8 cubic feet per second

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 300 ft N and 100 ft E from the southeast corner of 1/4 Sec 17 of T. 17 N. R. 3 E. Lane Co. Oregon

being within the 1/4 Sec 17 of T. 17 N. R. 3 E. Lane Co. Oregon

5. The line line to be 20 feet in length, terminating in the W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe ..... ft.; size at intake ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17	37	30	.....	7.89
			.....	.....
			.....	.....

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Beginning at a point a 1 inch iron pipe, marking the re-entrant angle on the South boundary of Jacob Gillespie Donation Land Claim No. 70, Township 17 South Range 37 West of the Williamette Meridian; thence North 36° 16' West 10.58 feet, thence North 18° 39' East 71.13 feet to a point in the center of slough; (a 5/8" iron pin set South 18° 59' East 31.09 feet from last point); thence along center line of slough to a point which bears South 42° 13' East 236.13 feet (a 5/8" iron pin set South 32° 41' West 50.00 feet from last named point); thence to point which bears South 62° 21' East 222.22 feet (a 3/4" iron pin set South 23° 20' West 49.00 feet from last named point); thence to a point which bears South 54° 13' East 171.33 feet (3/4" iron pin set South 42° 13' West 50.00 feet from last named point); thence to a point which bears South 42° 13' East 115.93 feet; thence to a point South 15° 00' East 74.20 feet; thence bearing said slough, East 85.00 feet to a point, said point being South 20° 12' West 72.00 feet from the re-entrant angle of lot 5 of the plat of Debrick Gardens; thence South 70° 11' West 119.12 feet to a car axle marking the Southeast corner of Everett S. Plais and Mary E. (If more space required, attach separate sheet) (CONTINUED ON NEXT PAGE)

- (a) Character of soil ..... Lean river bottom
- (b) Kind of crops raised ..... Variable and permanent pasture for stock

Power or Mining Purposes---

- 9. (a) Total amount of power to be developed ..... theoretical horsepower.
- (b) Quantity of water to be used for power ..... sec. ft.
- (c) Total fall to be utilized ..... feet.
- (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec

Tp. .... R. .... W. M.

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. .... Tp. .... R. .... W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.00
  - 12. Construction work will begin on or before ..... Construction completed .....
  - 13. Construction work will be completed on or before .....
  - 14. The water will be completely applied to the proposed use on or before ..... at .....
- Or as soon as soil can be conditioned for planting .....

(Signature of applicant)

*Lucile L. Angst*

Remarks: The applicant just recently purchased this property and  
underground pipe lines are situated on the property and apparently  
have been for years and used for irrigation purposes in the past  
and which water was taken from the slough at the identical location  
which is herein being applied for. There is no dam or channeling  
work necessary as the point of intake is a natural spring which  
replenishes to a great extent by a spring on the applicants property.

(Continued from Item 3)

Blais Lands; thence North 81°01' West 321.66 feet to a point on a line between the  
South southwest corner and the re-entrant angle of said claim, thence along said line  
North 0°06' East 47.52 feet to the point of beginning, in Lane County, Oregon, said  
plat of Brick Gardens is platted and recorded at page 101 of Volume 4 Lane County  
Oregon plat Records.

Roland L. and Lucile L. Angst

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before ..... 19 .....

WITNESS my hand this ..... day of ..... 19 .....

STATE ENGINEER

PERMIT

STATE OF OREGON.

County of Marion.

88.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.116 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from ...

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is ...

Actual construction work shall begin on or before ... and shall thereafter be prosecuted with reasonable diligence and be completed on or before ...

Complete application of the water to the proposed use shall be made on or before ...

WITNESS my hand this ... day of ... 19...

Chas. E. Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 21,335

Permit No. 101151

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20 day of August 1951, at 8:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951 50 of

Recorded in book No. 50 of Permits on page ...

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 1 of 4

Fees Paid