

1:00 PM
JUL 11 1943
STATE ENGINEER
SALEM, OREGON

* APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, William A. Garoutte and La Salle Sales Company, (Name of applicant)
of Gulp, (Post office), County of _____,
State of _____, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is _____ and _____ (Name of stream)

_____, a tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is _____ (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the _____
corner of _____ (Section or subdivision) (N. or S.) (E. or W.)
Row River diversion point
S. 12° 49' E 624 ft from the _____
(If preferable, give distance and bearing to section corner)

_____ (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the _____ of Sec. _____, Tp. _____ (N. or S.)
(Give smallest legal subdivision) NE SE 31

R. _____, W. M., in the county of _____ (E. or W.)

5. The _____ to be _____ (Miles or feet)
(Main ditch, canal or pipe line)
in length, terminating in the _____ of Sec. _____, Tp. _____ (N. or S.)
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Use brick, concrete, etc. masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____ (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____ (Size and type of pump)

7" _____ (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range W. M.	Section	Forty-acre Tract	Number Acres To Be Irrigated
21 S.	1 W.	32		25

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Tract #1: All that part of the southwest quarter of section 32, in township 21 South Range 1 West of the Willamette Meridian, lying south of Row River, except the following: Beginning at the quarter section corner between section 32, township 21 South Range 1 West of the Willamette Meridian and section 31, township 21 South Range 1 West of the Willamette Meridian, and running thence west 542 feet, more or less to the intersection of the section line with the east line of the Bohemia Lumber Company's 60 foot road right of way, thence north 250 feet to a point in Row River, thence East 61° 20' east 617.7 feet, more or less to the place of beginning, in section 32, township 21 S. R. 1 West of the Willamette Meridian. All of the above property is Lane County, Oregon.

Tract #2: All that part of the southeast one-quarter of the northeast one-quarter of Section 31, Township 21 South Range 1 West of the Willamette Meridian, in Lane County, Oregon, lying south and west of the center of Row River described as follows: Beginning at a point in the middle of Row River 50 feet west of the one-quarter section corner between sections 31 and 32, Township 21 South Range 1 West of the Willamette Meridian, run thence west 122 feet to the southwest corner of the southeast one-quarter of the

(If more space required, attach separate sheet)

- (a) Character of soil
- (b) Kind of crops raised

Power or Mining Purposes—

- 9. (a) Total amount of power to be developed theoretical horsepower.
- (b) Quantity of water to be used for power sec. ft.
- (c) Total fall to be utilized feet.
(Head)
- (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivisions)

Tp., R., W. M.

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.
(No N. or S.) (No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 194.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$

12. Construction work will begin on or before last bond in use

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

BONHEIA LUMBER SALES CO. INC.,

(Signature of applicant)

x *Leifell Howard*
x *W. A. Harvath*
Partners

Remarks:

..... pond, the entire flow of the stream is used and allowed to enter ..
The pond is well constructed with .. mill race. Water is also used
in boilers to make steam which is used for power
and drying in the manufacture of lumber and plywood.
If water is not available from Gulp Creek,
water will be pumped from Row River.

(Continued from Item 8)
northeast one-quarter of said Section 31, thence north 319 feet to the middle of Row
River thence along middle of Row River upstream south 65° east 320 feet, thence south
43° 25' east 650.4 feet to the place of beginning, in Lane County, Oregon.
Tract #3: NE 1/4 SE1/4 Section 31, T21N, Range 1 W, W2E.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before 194

WITNESS my hand this day of 194

STATE ENGINEER
Ed K. Humphrey

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Culp Creek and Row River and Reservoir to be constructed under Application No. R-19944, Permit No. R-1179, water to be diverted from Culp Creek when available and any deficiency in the available supply in Culp Creek to be made by diversion from Row River. The use to which this water is to be applied is manufacturing and maintenance of log pond

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 11, 1943

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1952

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74 Oregon Laws 1933

Application No. _____
Permit No. 20449

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No. _____
This instrument was first received in the office of the State Engineer at Salem, Oregon on the 11th day of JUNE, 1942 at _____ o'clock P. M.

Returned to applicant: _____
Corrected application received: _____

Approved: _____
March 31, 1952
Recorded in book No. 50 of _____

Permits on page 20449
CHAS. E. STRICKLIN
STATE ENGINEER
Drainage Basin No. 2 Page 806
Fees Paid \$17