

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Oregon State Highway Commission, by S. H. Boardman, of Salem, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring, a tributary of Thirtymile Creek

2. The amount of water which the applicant intends to apply to beneficial use is .02 cubic feet per second.

\*\*3. The use to which the water is to be applied is Public Park Purposes

4. The point of diversion is located 960 ft. S and 50 ft. E from the NW corner of Section 22

being within the NW 1/4 NE 1/4 of Sec. 22, Tp. 5S, R. 21 E, W. M., in the county of Gilliam

5. The Pipe line to be 520' in length, terminating in the NE 1/4 NW 1/4 of Sec. 22, Tp. 5 S, R. 21 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction 2' x 2" concrete spring box at spring

(b) Description of headgate

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.



Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....300.00.....
- 12. Construction work will begin on or before ..... April 1st, 1950.....
- 13. Construction work will be completed on or before ..... June 1st, 1950.....
- 14. The water will be completely applied to the proposed use on or before ..... June 1st, 1950.....

*[Handwritten Signature]*  
(Signature of applicant)

State Parks Superintendent

Remarks: .....

A parcel of land lying in the NE $\frac{1}{4}$  of the NW $\frac{1}{4}$  of Section 22, T. 5 S., R 21 E. W.M., Gilliam County, Oregon; said parcel being more particularly described as follows:

Beginning at engineers center line station 171+85 of the John Day Highway, which point is approximately 620 feet south and 2332 feet east of the N.W. corner of said Section 22; thence S. 77°30' W. a distance of 128.5 feet; thence S. 4°30' E. a distance of 421.5 feet; thence N. 87°00' E. a distance of 73 feet, more or less, to a point on the center line of said highway, which point is engineers center line station 167+20.5 P.C.; thence, along said center line, on a 296.5 foot radius curve right (the long chord of which curve bears N. 0°50' W.) a distance of 267.5 feet; thence N. 25°55' E. a distance of 40.9 feet; thence on a 191.0 foot radius curve left (the long chord of which curve bears N. 3°47½' E.) a distance of 147.5 feet; thence N. 18°20' W. a distance of 6.0 feet to the point of beginning; containing 0.6 acres, more or less, exclusive of that portion which lies within the right of way of the said highway.

Also, a perpetual easement for a pipe line from a spring (which spring bears S. 50°00' E. 455 feet distant from said engineers station 171+85) to the said highway; a distance of approximately 350 feet, together with the right to construct, reconstruct, operate, maintain and repair said pipe line and to make entry for such purposes.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... signature .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... August 20 ..... 19 51

WITNESS my hand this ..... 20th ..... day of ..... July ..... 19 51.

RECEIVED  
STATE ENGINEER  
*[Handwritten Signature]*  
Ed. N. Humphrey, Assistant

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring

The use to which this water is to be applied is public park purposes

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 19, 1950

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March, 1952

*Chas. E. Stricklin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 3112  
Permit No. 2047

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_  
This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 19th day of April  
1950, at 8:00 o'clock A. M.

Returned to applicant: \_\_\_\_\_

Corrected application received: \_\_\_\_\_

Approved: \_\_\_\_\_

March 31, 1952 of  
Recorded in book No. 50  
Permits on page 20170

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. \_\_\_\_\_ Page \_\_\_\_\_

Fees Paid 11