

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Burnell Olson, of Star Route - Newberg, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Skookum Lake and unnamed Stream, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.563 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 3262.2 ft. N. 60° 12' E. from the southwest cor. of Peter Wagoner D.L.C. No. 39 from lake and about 140 ft south of the lake diversion point, for diversion from stream

being within the SW 1/4 SE 1/4 of Sec. 32, Tp. 35, R. 2 W., W. M. in the county of Marion

5. The Main ditch, canal or pipe line to be in length, terminating in the of Sec. , Tp. , R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9 feet, length on top 10 feet, length at bottom 4 feet; material to be used and character of construction earth. Dam is only to form a pump sump - not to store water

(b) Description of headgate Concrete. Dam may also be used to back water into file lines

(c) If water is to be pumped give general description 60 H.P. Deisel 4" Centrifugal Pump 10 18 g.p.m. sprinklers

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2,000 ft.; size at intake, 6" in.; size at ft. from intake in.; size at place of use 6" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	2 W	32	SE 1/4 SW 1/4	0.4
3 S	2 W	32	SW 1/4 SE 1/4	16.2
4 S	2 W	5	NW 1/4 NE 1/4	23.7
4 S	2 W	5	NE 1/4 NE 1/4	6.2
4 S	2 W	5	NE 1/4 NW 1/4	0.5
For legal description of property see "Remarks"				

(If more space required, attach separate sheet)

(a) Character of soil Wapato
 (b) Kind of crops raised Clover & Grass seed

Power or Mining Purposes --

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is ...

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 7,000.00
- 12. Construction work will begin on or before 1 yr. after approval
- 13. Construction work will be completed on or before 2 yrs. after approval
- 14. The water will be completely applied to the proposed use on or before 3 yrs. after approval

Burnell Olson
(Signature of applicant)

Remarks: Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Beginning at a point in the center of the County Road on the West boundary line of the Peter Wagoner Donation Land Claim No. 39 in Township 3 and 4, Range 2, West of the Willamette Meridian in Marion County, Oregon; which point is north 1/2 degree West 17.83 chains from the Southwest Corner of said Claim; thence North 43 degrees 47' East in the center of the County Road 10.55 chains to a point; thence North 62 degrees 30' East in the center of the county road 4.02 chains to a point; thence south 81 degrees 50' East in the center of the County Road 4.60 chains to a point; thence North 86 chains 50' East 14.19 chains to a point; thence North 41 degrees 15' west 14.00 chains to a point in the lake on the West boundary of the said Claim; and thence South 1/2 degree East on the West boundary line of said Claim 60.67 chains to the place of beginning.

Water to be used from stream when available. When stream fails, deficiency to be made up from lake.

Water to be applied partly by sprinklers and partly by tile lines

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.563 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Skookum Lake and unnamed stream, water to be diverted from unnamed stream when available and any deficiency in the available supply of the stream to be made by diversion from Skookum Lake.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a limit of not to exceed 0.563 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 24, 1950

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 22nd day of

Chas. E. Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.

Application No. 24758

Permit No. 20181

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of May 1952, at 11:15 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 20181

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 764

Fees Paid \$17.55