

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John B. Nix, of Route 4 Box 9 Woodburn Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Mill Creek, a tributary of Pudding River.
2. The amount of water which the applicant intends to apply to beneficial use is 0.10 cubic feet per second.
3. The use to which the water is to be applied is irrigation.

4. The point of diversion is located at any point where Mill Creek touches property described herein.

being within the NW 1/4 SW 1/4 & SW 1/4 SW 1/4 of Sec. 5 Tp. 5S R. 1W, W. M. in the county of Marion.
5. The Pipe line to be app. 800' in length, terminating in the of Sec. , Tp. , R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

- 6. (a) Height of dam None feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ...
(b) Description of headgate ...
(c) If water is to be pumped give general description 9 H.P. Motor Viss Centrifugal pump 12-3 g.p.m. sprinklers.

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, 9 in.; size at ft. from intake in.; size at place of use 3 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
55	1W	5	NE 1/4 SW 1/4	2.0
			NW 1/4 SW 1/4	0.5
			SW 1/4 SW 1/4	0.7
			SE 1/4 SW 1/4	4.8

Property on which water is to be used is a part of that land owned by applicant as follows:

beginning at a point marked by an iron pipe on the south line of the Donation Land Claim, north of 31st St 3.00 chains from the the south line of said claim; running thence south 20° 3' east of said Donation Land Claim, 0.34 chains to an iron pipe at the corner of said Donation Land Claim; thence south 10° 3' west iron pipe which is the southwest corner of the i.

(If more space required, attach separate sheet)

(a) Character of soil Willamette
 (b) Kind of crops raised strawberries

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mill Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 20, 1952

Actual construction work shall begin on or before August 1, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 20th day of March, 1952

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25705
Permit No. 26519

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of March, 1952, at 11:25 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 20519

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 38

Fees Paid \$15.00