

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Bertha Marks of Route 1, Box 320 Canby, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation No.

1. The source of the proposed appropriation is Mill Creek, a tributary of Molalla River. 2. The amount of water which the applicant intends to apply to beneficial use is 45/80 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation.

4. The point of diversion is located 1275 ft. S and 330 ft. E from the N corner of Sec. 11, Twp. 4 S, R. 1 E, Clarkamas county, Oregon. 1/4 corner of section 11.

being within the NE 1/4 NW 1/4 of Sec. 11, Tp. 4 S, R. 1 E, W. M., in the county of Clarkamas.

5. The Pipe line to be 1120 in length, terminating in the NE 1/4 NW 1/4 of Sec. 11, Tp. 4 S, R. 1 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ...

(b) Description of headgate ...

(c) If water is to be pumped give general description Centrifugal 2 hp. motor 30 ft. head. 12-8 g.p.m. sprinklers 10 hp. Elec.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1120 ft.; size at intake, 4" in.; size at 1000 ft. from intake 3 1/2" in.; size at place of use 3 1/2" in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? yes. Estimated capacity, .60 sec. ft.

8. Location of area to be irrigated, or place of use 45 acres

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
15	1E	11	NE 1/4 NW 1/4	25
			SE 1/4 NW 1/4	20
4	1E	11		

(If more space required, attach separate sheet)

(a) Character of soil sandy loam
 (b) Kind of crops raised grasses, pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1650 =
- 12. Construction work will begin on or before July 1st 1951
- 13. Construction work will be completed on or before July 1st 1952
- 14. The water will be completely applied to the proposed use on or before July 1st 1952

Bertha P. Marka
(Signature of applicant)

Remarks:

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

The East Half of the Northwest Quarter of Section Eleven, Township Four South, Range One East of the Willamette Meridian. Except that part in the Northeast corner conveyed to Portland, Eugene & Eastern Railway Company by deed recorded June 26, 1912, in Book 128, at page 556, and by deed recorded December 23, 1913, in Book 133, at page 342, Deed Records of Clackamas County, Oregon, and except a triangular tract in the Southwest corner conveyed to Ostrander Railway and Timber Company, a corporation, by deed recorded October 14, 1943, in Book 314 at page 661, Deed Records of Clackamas County.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.562 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from ...

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to ... of one cubic foot per second or its equivalent for each acre irrigated ... limited to a diversion of not to exceed 2' ... during the irrigation season of each year, ...

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is ...

Actual construction work shall begin on or before ... and shall thereafter be prosecuted with reasonable diligence and be completed on or before ...

Complete application of the water to the proposed use shall be made on or before ...

WITNESS my hand this ... day of ... 19...

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. ...
Permit No. ... 20530

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. ... District No. ...

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of April, 1952, at 3:30 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 20530

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. ... Page 20530

Fees Paid ...