

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Wilhelm Mullerleile and Rosa Mullerleile of Rt. 1 Hillsboro Box 16 A, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream & reservoir (trib to Rock Creek), a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.375 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located S. 2°30'W. 2230 ft. from the N 1/4 corner of Sec. 2

being within the SE 1/4 NW 1/4 of Sec. 2, Tp. 1 N

R. 2 W, W. M., in the county of Washington

5. The Pipe line to be 1200 in length, terminating in the of Sec. 2, Tp. 1 N

R. 2 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 18 feet, length on top 165 feet, length at bottom 140 feet; material to be used and character of construction Earth fill. Wasteway around dam

(b) Description of headgate

(c) If water is to be pumped give general description double impeller centrifugal pumps 7 1/2 hp electric 70 rpm 15-1 gpm sprinklers

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 5 in.; size at 400 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	2 W	2	NW 1/4 NE 1/4	18.5
			SE 1/4 NW 1/4	11.5
Property on which water is to be used is a part of that more explicitly described by applicant as follows:				
All that portion of the west half of northwest quarter of the northeast quarter of Section 2, T. 1 N., R. 2 W., of the W. M., lying east of the center line of the County Road, subject to the rights of the public in that portion thereof within the boundaries of said county road.				
and				
Southeast one-fourth of Northwest one-fourth of Section 2, Township 1 North, of Range 2 West of the Willamette Meridian.				

(If more space required, attach separate sheet)

(a) Character of soil Melbourne silt
 (b) Kind of crops raised pasture & berries

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$2500⁰⁰
- 12. Construction work will begin on or before 1 year from approval date
- 13. Construction work will be completed on or before 2 yrs " " "
- 14. The water will be completely applied to the proposed use on or before 3 yrs from

Wilhelm Mullerleite and
Rosa Mullerleite
approval date
by: Wilhelm Mullerleite
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a reservoir and dam to be constructed under Application No. R-2175, Permit No. R-1211

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/4th of one cubic foot per second or its equivalent for each acre irrigated from the point of diversion and shall be limited to a diversion of not to exceed 21 acre feet per year during the irrigation season of each year from the flow available from the dam to be constructed under Permit No. R-1211.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this day of

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 2175
Permit No. 20522

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 27th day of April

1951 at 1:30 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 20522

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 6

Fees Paid