

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Clarence Lindow of Hillsboro State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Lindow Reservoir and unnamed stream a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

\*\*3. The use to which the water is to be applied is irrigation (supplemental)

4. The point of diversion is located ft. and ft. from the corner of Diversion point X: 100 ft. North & 500 ft. West of the 1/4 corner between sections 33 & 34 T1S R2W Diversion point Y: 900 ft. South & 300 ft. West from the above mentioned 1/4 corner

being within the NE 1/4 SE 1/4 & SE 1/4 NE 1/4 of Sec. 33 Tp. 1S R. 2W W. M., in the county of Washington

5. The to be in length, terminating in the of Sec. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1 hp. gasoline motor with 20 ft. pump

\*A different form of application is provided where storage works are contemplated \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

**8. Location of area to be irrigated, or place of use**

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLIAMETTE	METWALK			
15	2W	33	SE NE	12°
			NE SE	8°
		34	SW NW	2°
			NW SW	7°
Detailed description of water right as follows:				

(If more space required, attach separate sheet)

(a) Character of soil *Silty clay loam*  
 (b) Kind of crops raised *general farm crops*

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec.

Tp. .... R. .... W. M.

(f) Is water to be returned to any stream? .....  
 (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. .... Tp. .... R. .... W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply--

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before June 1, 1951.....

13. Construction work will be completed on or before October 1, 1952.....

14. The water will be completely applied to the proposed use on or before October 1, 1953.....

*Clara Lindow*  
(Signature of applicant)

Remarks: (CONTINUED FROM ITEM 8) 5 acre tract of land conveyed to Harold Bennett by deed recorded at page 243 in Book 254 of said Deed Records; Thence S. 37° 13' E. 194.5 feet to an iron pipe at the S.E. corner of the said Bennett tract; Thence S. 0° E. 440.5 feet to the N.E. corner thereof in the center of the County Road; Thence S. 39° 13' E. 83.5 feet to an angle point in the center of said road; Thence S. 44° 25' E in the center of said road 522.5 feet to a point from which an iron pipe bears S. 23° 40' W. 22.0 feet; Thence S. 23° 40' W. 1069.1 feet to an iron; Thence S. 41° 25' E. 971.2 feet to an iron; thence S. 13° 58' W. 961.2 feet to an iron pipe on the line of the said Tomalia tract; Thence along said south line S. 07° 30' W. 700.0 feet to the place of beginning, containing 51.7 acres.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.363 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from ... Reservoir to be constructed under Application No. 2-2510, Permit No. 2-1212

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to ... of one cubic foot per second or its equivalent for each acre irrigated from ... limited to a diversion of not to exceed 2 1/2 acre feet ... during the irrigation season of each year ... to be constructed under Permit No. 2-1212; provided further that the ... allowed herein, together with the amount reserved under any other permit ... the same shall not exceed the ...

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

Actual construction work shall begin on or before ... and shall thereafter be prosecuted with reasonable diligence and be completed on or before

2, 1951

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this ... day of ... 19 ...

Chas. E. Stricklin  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 2-5884  
Permit No.

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30<sup>th</sup> day of April, 1951, at 2:25 o'clock P. M.  
Returned to applicant:

Corrected application received:

Approved:

March 31, 1952  
Recorded in book No. 50 of  
Permits on page 20534

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 2 Page 6

Fees Paid \$10.00