*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

(Name of profitent)	• • • • • •
of	
(Managed Section)	
State of	the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is and (Name of stream)	
, a tributary of	
2. The amount of water which the applicant intends to apply to beneficial use is	
cubic feet per second. (If water is to be used from more than one source, give quantity from each)	•••
**3. The use to which the water is to be applied is	
4. The point of diversion is located ft and ft from the	
4. The point of diversion is located	
COTNET Of	• · · · ·
	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	
being within the of Sec, Tp	
R, W. M. in the county of	
(As. or w.)	
5. The (Main ditch, canal or pipe line) to be (Miles or feet)	
in length, terminating in the	,
R	
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top feet, length at bot	to m
feet; material to be used and character of construction	onr y ,
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate (Timber, concrete, etc., number and size of openings)	
(Timber, contrate, etc., number and size of openings)	
(c) If water is to be pumped give general description	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

^{*}A different form of application is provided where storage works are contemplated

adgate. At head	gate: width on	top (at water line)	feet; width on bottom
f				feet fall per one
ouagnd feet.				pater line)
•				of water feet;
				<i>, , , , , , , , , , , , , , , , , , , </i>
		ll per one thousand		to calma na fr
				in.; size at ft.
				difference in elevation between
take and place o	of use,	ft. Is gr	ade uniform?	Estimated capacity,
••••••	sec. ft.			•
8. Location	of area to be	irrigated, or place	of use	Number Acres To Be Irrigated
Township WELGETTE	Range	Section	Forty-acre Tract	Number Acres 10 De Irriganes
	•	. `		
Property on v	hich water	is to be used i	s a part of that	nore explicitly buch er
				of Jonetian Lend Marke to the Paristan in Jackson Com-
along the cer	ter of said	Ford 32 feet;	thence Worth 15 301 Mart 660 Sapt	t; thence
200 feet; Un	nec South 7	gold our law	<u>l feat to the west</u> line. 11 M Jost Co	the relative of a section is
77.00	atton Lond	Glaim No. hh in	n Township 37 Sout	h, of war to a wait grade week
Tillametto	on the South	Alwost Tuarto∤ -	Orestion 20; 111	
Pariso a Trate	def the Will	dmette ir mida	n in Jedison Count east corrept of the	, and the same and
	the root in the	+ 1-2 24,5 + +1+4 +1	co Test - Policy (
theree is t	4 8087 50 7	<u> </u>	wired, attach separate sheet)	
(a) Chara	enter of soil		•	
	-		••	
	•			
Power or Mining 9. (a) To	_	power to be devel	oped	theoretical horsepowe
, ,		er to be used for po		sec. ft.
	otal fall to be u		fee	
	-		(Heid)	
(a) 11	e nature of th	e works by means	of which the power is t	
*******			en de la companya de	-4 Caa
(e) St	ich works to be	e located in	(Legal subdivision)	of Sec.
		No. E. or W.) Sturned to any stre		
			nt of return	
**********		, Sec	, Tp.	, R. (No. R. or W.)
(h) T	h <mark>e use to</mark> whic	h power is to be at	plied is	the second of th

	g a present population of
n estimated population of	
•	umber of families to be supplied
	quantities 11, 18, 13, and 16 in all capts)
11. Estimated cost of proposed work	• 🖈 - 🐧 No 1, No
	or before
	leted on or before
	plied to the proposed use on or before
	K.W. Corp By Theodore & Gike
	Rt 18044 bit achland, Cargan
Remarks:	
<u> </u>	
Tert 134.0 feet; thence North O feet; thence South 144° 04; Ter South 35° 39; Dant 533.0 h 45° 22; Mast 177.0 feet; thence Tast a	theast corner of the Southwest quarter of said nee North 37° 20! West 50.0 fact; thence North 57° 12! West 79.2 feet; thence Forth 57° 12! West 79.2 feet; thence South 32° 10! West 177. Teet; thence South 19° 12! Bast 12°.7 feet to the said slong said south line 233.3 feet to the partial
West 134.0 feet; thence North O feet; thence South 44° 04' ce South 35° 39' Dant 533.0" h 45° 22' Mast 177.0 feet; th aid Tection 20; thence Dast a	nce forth 37° 20' West 50.0 fact; thence Morth 159° 43' West 234.0 feet; thence Forth 57° 42' West 79.2 feet; thence South 32° 40' 4 ast 177. Teet; thence South 19° 19' East 180.7 feet to the said along said south line 233.3 feet to the list in
West 134.0 feet; thence North O feet; thence South his Oh! ce South 35° 37' Dant 533.0 h 45° 22' Mast 177.0 feet; thance Dast and Tection 20; thence Dast and Tection 20; the 20; the 20; thence Dast and Tection 20; the 20; thence Dast and Tection 20; the 20; the 20; thence Dast and Tection 20; the 20;	nce forth 37° 20' West 50.0 feet; thence Worth 35° 42' West 234:0 feet; thence Worth 37° 42' West 79.2 feet; thence South 32° 40' 4 st 177. Teet; thence South 19° 19' East 60' 3 feet; thence South 24° 10' East 130.7 feet to the said south line 233.3 feet 50' the part of
West 134.0 feet; thence North O feet; thence South 14° 04' ce South 35° 39' Dant 533.0" h 45° 22' Mast 177.0 feet; thence Dast and Maction 20; the 20; the 20; the 20; thence Dast and Maction 20; the 20;	med forth 37° 20' West 50.0 feet; thence Worth 37° 12' West 79.2 feet; thence South 32° 10' West 177. Teet; thence South 32° 10' West 177. Teet; thence South 19° 12' West 50.0 feet; thence South 21° 12' West 50.7 feet to the successful south line 233.3 feet 50 the part of the south 10 said south line 233.3 feet 50 the part of the south 10 said said south 10 said said south 10 said said said said said said said said
West 134.0 feet; thence North O feet; thence South 44° 04' ce South 35° 39' Unit 533.0" h 45° 22' Mast 177.0 feet; thence Dast and Taction 20; thence Dast and Taction 20;	The corth of 201 West 50.0 feet; thence Worth 57% 121 West 79.2 feet; thence South 32° 101 West 177. 122 west 79.2 feet; thence South 19° 191 Earth (10° 20° 20° 20° 20° 20° 20° 20° 20° 20° 2
West 134.0 feet; thence North O feet; thence South his Oh; ce South 35° 39' Unit 533.0" h 45° 22' Mest 177.0 feet; thence Dest and Mechion CO; thence Dest and Mechion CO;	mee forth 37° 20' West 50.0 feet; thence Worth 37° 22' West 79.2 feet; thence South 32° 10' West 177. Rest; thence South 19° 12' East 17' feet; thence South 19° 12' East 170.7 feet to the antiform said south line 233.3 feet of the part of the said south line 233.3 feet and the said south line 23
West 134.0 feet; thence North O feet; thence South his Oh; ce South 35° 37' Unit 533.0 h 45° 22' Mast 177.0 feet; thence Dast and Maction 20; thence Dast and Machine.	mee forth 37° 20' West 50.0 feet; thence Worth 37° 22' West 79.2 feet; thence Gouth 32° 50' 3 st 177. Teet; thence South 19° 12' 2 st 177. Teet; thence South 19° 12' 3 feet to the substance South 24° 10' 2 st 13°.7 feet to the substance South line 233.3 feet to the part of the substance South 10' 233.3 feet to the part of the substance South 10' 233.3 feet to the part of the substance South 10' 233.3 feet to the part of the substance South 10' 233.3 feet to the substance South 10' 23
onence orth odg.C feet; then West 134.0 feet; thence North O feet; thence South hue Out ce South 35° 39' Unit 533.0 h 45° 22' Mast 177.0 feet; thence Dast a noing.	mee forth 37° 20' West 50.0 feet; thence Worth 37° 12' West 79.2 feet; thence South 32° 10' West 177. eet; thence South 19° 12' Best 50.0 feet; thence South 19° 12' Best 50.0 feet; thence South S1° 10' Best 13°.7 feet to the substitute S33.3 feet to the purity of the said south line 233.3 feet to the purity of the said south line 233.3 feet to the purity of the said south line 233.3 feet to the purity of the said south line 233.3 feet to the said said south line 233.3 feet to the said said said said said said said said
West 134.0 feet; thence North O feet; thence South 14° 04' ce South 35° 39' Dant 533.0" h 45° 22' Mast 177.0 feet; thence Dast and Maction 20; the Mac	mee forth 37° 20' West 50.0 feet; thence Worth 37° 12' West 79.2 feet; thence South 32° 10' West 177. eet; thence South 17° 12' West 50.0 feet; thence South 10' Bast 13°.7 feet to the suitons said south line 233.3 feet 50 the part of the suitons said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the said said south line 233.3 feet 50 the said said said said said said said said
onence of the collect; then control of feet; then consoled hide of the collect of	mee forth 37° 20' West 50.0 feet; thence Worth 37° 12' West 79.2 feet; thence South 32° 10' West 177. eet; thence South 19° 12' Best 50.0 feet; thence South 19° 12' Best 50.0 feet; thence South S1° 10' Best 13°.7 feet to the substitute S33.3 feet to the purity of the said south line 233.3 feet to the purity of the said south line 233.3 feet to the purity of the said south line 233.3 feet to the purity of the said south line 233.3 feet to the said said south line 233.3 feet to the said said said said said said said said
onence orth odg.C feet; then West 134.0 feet; thence North O feet; thence South 14° 04' ce South 35° 39' Tant 533.0 h 45° 22' Mast 177.0 feet; thence Tast and Taction 20; thence Tast and	mee forth 37° 20' West 50.0 feet; thence Worth 37° 12' West 79.2 feet; thence South 32° 10' West 177. eet; thence South 17° 12' West 50.0 feet; thence South 10' Bast 13°.7 feet to the suitons said south line 233.3 feet 50 the part of the suitons said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the said said south line 233.3 feet 50 the said said said said said said said said
TE OF OREGON, Steet: thence South his Oh: The South 35° 37' That 533.00 The 15° 22' West 17.0 feet; thence The transfer and transfer a	mee forth 37° 20' West 50.0 feet; thence Worth 37° 12' West 79.2 feet; thence South 32° 10' West 177. eet; thence South 17° 12' West 50.0 feet; thence South 10' Bast 13°.7 feet to the suitons said south line 233.3 feet 50 the part of the suitons said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the part of the said south line 233.3 feet 50 the said said south line 233.3 feet 50 the said said said said said said said said
TE OF OREGON, punty of Marion,	mee forth 77 20' West 50. Cat; thence Morth 57° 42' West 79.2 feet; thence South 32° 10' West 177. Feet; thence South 19° 19' Mart (50.2 feet; thence South 19° 19' Mart (50.2 feet; thence South 24° 10' Mart (50.2 feet to the said for said south line 233.3 feet to the said for said south line 233.3 feet to the said feet feet to the said for said south line 233.3 feet to the said feet feet feet feet feet feet feet fee
TE OF OREGON, nuntry of Marion, This is to certify that I have examinate the control of the co	mee forth 77° 201 Mest 50.0 fact; thence North 57° 121 Mest 79.2 feet; thence South 32° 121 A at 127. Test; thence South 19° 191 Mest 19° 7 feet; the special south 110 mest 19° 7 feet to the said 100 said south line 237.3 feet to the said south
TE OF OREGON, nunty of Marion, This is to certify that I have examinand data, and return the same for	nce forth 77 201 Mest 50. Cat; thence North 57 21 21 Mest 79.2 feet; thence South 32° 10 1 Act 107. Test; thence South 101 Bast 12° 7 feet to the south 100 South line 233.3 feet to the south 100 South line 233.3 feet to the south interest that the accompanied the foregoing application, together with the accompanied the foregoing application, together with the accompanied the foregoing application, together with the accompanied the foregoing application.
TE OF OREGON, ss. munty of Marion, This is to certain the same for In order to retain its priority, this	med the foregoing application, together with the accompanied the foregoing application to the State Engineer, with application must be returned to the State Engineer, with application must be returned to the State Engineer, with application must be returned to the State Engineer, with a special south of the state application must be returned to the State Engineer, with a special south of the state Engineer, with a special special south of the state Engineer, with a special special south of the state Engineer, with a special spec
TE OF OREGON, punty of Marion, This is to certify that I have examined and data, and return the same for In order to retain its priority, this on or before September: thence South hip oh! There is thence South hip oh! The same for In order to retain its priority, this on or before September: 10,	ined the foregoing application, together with the accompanied the foregoing application, together with the accompanied must be returned to the State Engineer, with application must be returned to the State Engineer, with a company to the state Engineer.
TE OF OREGON, punty of Marion, This is to certify that I have examined and data, and return the same for In order to retain its priority, this on or before September: thence South hip oh! There is thence South hip oh! The same for In order to retain its priority, this on or before September: 10,	med the foregoing application, together with the accompanied the foregoing application to the State Engineer, with application must be returned to the State Engineer, with application must be returned to the State Engineer, with application must be returned to the State Engineer, with a special south of the state application must be returned to the State Engineer, with a special south of the state Engineer, with a special special south of the state Engineer, with a special special south of the state Engineer, with a special spec

PERMIT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from Middle Mark to the Mark to
to be constructed under Application No. R-25902, Permit Vo. :- 1213
The use to which this water is to be applied isinglantion and supplemental irrivation
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrivated from a leget flew and puell a first
limited to a diversion of not to exceed he acre feet per agree for cost, and limited
during the irrigation season of each post the side of the same star earns as and
to be constructed under Parait No. R-1213; provided forther that the Angle is
allowed herein, together with the amount measured bulls from a men sight and the Tax
the same lands shall not exceed the limitation allow to rein.
······································
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is
Actual construction work shall begin on or before
thereafter be prosecuted with reasonable diligence and be completed on or before
Complete application of the water to the proposed use shall be made on or before
WITNESS my hand this day of Chan E Stick to
Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 183
egon, of

Recorded in book No. 50

Permits on page CHAS. E. STRICKLIN

STATE ENGIN

Drainage Basin No. 15 Page 34

Fees Paid 11 / 12.57