

Permit No. 20559

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, James D. Trammell of Eagle Point, Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Knutzen Gulch and storage, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.38 cubic feet per second.

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 398 ft. S and 575 ft. W from the E corner of Sec. 32

being within the NE 1/4 of Sec. 32, Tp. 35 S., R. 1 E., W. M., in the county of Jackson

5. The ditches to be 1/2 mile in length, terminating in the NE 1/4 of Sec. 32, Tp. 35 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9.5 feet, length on top feet, length at bottom feet; material to be used and character of construction excavation will extend around entire distance - around storage.

(b) Description of headgate 10" pipe through dam. See companion application.

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.



21539

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLAMETTE	R. 1 W.	32	NE $\frac{1}{4}$ SW $\frac{1}{4}$	10
35 S.	1 E.	32	SE $\frac{1}{4}$ SW $\frac{1}{4}$	20

(If more space required, attach separate sheet)

(a) Character of soil clay loam

(b) Kind of crops raised general farm products.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 150.00
- 12. Construction work will begin on or before 1 year from date of priority.
- 13. Construction work will be completed on or before 2 years from date of priority.
- 14. The water will be completely applied to the proposed use on or before 3 years from date of priority.

James D. Trammell
S.P.S. Co. Box 15
Eagle Point Oregon

Remarks: Property on which water is to be used is a part of that more explicitly described by applicant as follows:

The north half of the northwest quarter of section 5, township 36 south, range 1 east of the Willamette Meridian, containing 80 acres, more or less, according to the U. S. Government survey thereof; also: the east half of the southwest quarter, and the southeast quarter, and the East 13 acres of the Southeast quarter of the Northeast quarter of section 32, township 35 south, range 1 east of the W.M., containing 253 (should be 233) acres, more or less, together with all water and ditch rights pertaining to either or both of said tracts of land.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Kautman Gulch and reservoir to be constructed under Application No. R-26034, Permit No. R-1221

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1221.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 13, 1951

Actual construction work shall begin on or before March 1, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March, 1952
Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26623
Permit No. 20559

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13 day of June 1951, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952 of

Recorded in book No. 50

Permits on page 20559

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 15 Page 32A

Fees Paid \$15.00