

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Donald Bieberstedt of Eagle Point, L. B. Box 14, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Knutzen gulch & storage Little Butte Creek, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.13 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 398 ft. S. and 575 ft. W. from the E. corner of Section 32

being within the NE 1/4 SE 1/4 of Sec. 32, Tp. 35 S., R. 1 E., W. M., in the county of Jackson

5. The supply canal to be 1/2 mile in length, terminating in the SE 1/4 SE 1/4 of Sec. 31, Tp. 35 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9 1/2 feet, length on top 100 feet, length at bottom 50 feet; material to be used and character of construction dirt fill

(b) Description of headgate see storage application

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.



As copied from Warranty Deed recorded in Jackson County Deed Records, Vol. 169, Page 28.

The Southeast twenty-six (26) acres, situated south of the Baker gulch, the bed of said gulch including of the Northwest Quarter (NW $\frac{1}{4}$ ) of the Southwest Quarter (SW $\frac{1}{4}$ ) of Section Thirty Two (32) and the Southeast fourteen (14) acres, situated south of the Baker gulch, the bed of said gulch partly excluding, of the Northeast Quarter (NE $\frac{1}{4}$ ) of the Southeast Quarter (SE $\frac{1}{4}$ ) of the Southeast Quarter (SE $\frac{1}{4}$ ) except one (1) acre situated north of the Baker gulch towards the Northwest corner of said subdivision, of Section Thirty One (31) all of Township Thirty Five (35) South Range One (1) East, Willamette Meridian. Containing seventy nine (79) acres, more or less.

The wire fence in Baker gulch indicates the line, Northeast to Southwest.

Also: The South Half (S $\frac{1}{2}$ ) of the Northeast Quarter (NE $\frac{1}{4}$ ) and the North Half (N $\frac{1}{2}$ ) of the Southeast Quarter (SE $\frac{1}{4}$ ) of Section Twenty Four (24) of Township Thirty Six (36) South, Range Two (2) East, Willamette Meridian. Containing One hundred and sixty (160) acres, more or less.

- - - - -

As copied from Warranty Deed as recorded in Jackson County Deed Records Vol. 242, Page 634.

The Southwest Quarter of the Southwest Quarter of Section 32, Township 35, South Range 1 East of the Willamette Meridian.

**Municipal or Domestic Supply—**

10. (a) To supply the city of .....  
..... County, having a present population of .....

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200.00

12. Construction work will begin on or before 1 year from date of priority.

13. Construction work will be completed on or before 2 years from date of priority.

14. The water will be completely applied to the proposed use on or before 3 years from date of priority.

*Donald Biberstedt*  
*R.B. Ale, Box 14*  
*Eagle point, Oregon*

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.125 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Little Creek and reservoir to be constructed under Application No. 1222, Permit No. R- 1222.

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be limited to a diversion of not to exceed 1 1/2 feet in any one place during the irrigation season of each year from direct flow to be constructed under Permit No. R- 1222.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

Actual construction work shall begin on or before and shall

thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this day of

*Chas. E. Stricklin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26337

Permit No.

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,

on the 13 day of June

1951, at o'clock M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 20560

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 2 Page 33A

Fees Paid \$ 15.00