

Permit-

Permit No. 20561

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John H. Renner of Box 572 Delake Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.032 cubic feet per second.

**3. The use to which the water is to be applied is irrigation & domestic

4. The point of diversion is located 150 ft. and 020 ft. from the corner of Section 13 Township 25 North Range 1 East, W.M. Clackamas Co. Oregon

being within the SE 1/4 NE 1/4 of Sec. 1 E, Tp. 2 S R. 1 E, W. M., in the county of Clackamas

5. The to be in length, terminating in the of Sec. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Displacement pump - 1/2 H.P. Motor at present Sprinklers to be used

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 8000 ft.; size at intake, 3/4 in.; size at ft. from intake in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 60 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries: Township 23, Range 1 E, Section 1, Forty-acre Tract SE 1/4 NE 1/4, Number Acres To Be Irrigated 1.75 ft.

Property on which water is to be used is a part of that more explicitly described by applicant as follows: Lots 12 and 13 of Block "U" in Re-slat of Milwaukie Park.

(If more space required, attach separate sheet)

(a) Character of soil Heavy Clay
(b) Kind of crops raised Fruit, lawn & garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
(b) Quantity of water to be used for power sec. ft.
(c) Total fall to be utilized feet.
(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before Commenced

13. Construction work will be completed on or before ~~Comm~~ two years from approval

14. The water will be completely applied to the proposed use on or before 3 years

from approval

John H. Penner
(Signature of applicant)

Remarks: *Object to put in larger pump and motor. If permit approved using portable irrigation tubes and sprinklers - should in later estimate be and is as shown on map. Pipe lines laid as necessary. Negatives.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 12 19 51

WITNESS my hand this 12th day of September 19 51

CHAS. B. STRICKLIN
STATE ENGINEER

Ed K. Humphrey
Ed K. Humphrey, Assistant

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.0319 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unpaired spring

The use to which this water is to be applied is irrigation and domestic, being 0.0212 cfs for irrigation and 0.01 cfs for domestic

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 11, 1951

Actual construction work shall begin on or before March 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March, 1952
Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26043

Permit No. 6001

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 17th day of June

1951, at 1:05 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952 of
Recorded in book No. 50

Permits on page 20561

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 3 Page 604

Fees Paid \$ 25.00