

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Myrtle I. Wilson of Medford, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is spring on applicants property, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.50 cubic feet per second.

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 290 ft. S. and 116 ft. E. from the corner of Section 2

being within the S1/4 NW1/4 of Sec. 2, Tp. 36 S., R. 2 W., W. M., in the county of Jackson

5. The sprinkler system to be in length, terminating in the S1/4 NW1/4 of Sec. 2, Tp. 36 S., R. 2 W., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 9 in.; size at 5 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? Yes Estimated capacity, sec. ft.
 10 sprinkler heads

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
BELLAMETTE MERIDIAN				
2 S.	2 W.	2	SE 1/4	21 Supplemental
			NE 1/4 SW 1/4	9 Supplemental

(If more space required, attach separate sheet)

- (a) Character of soil
- (b) Kind of crops raised

Power or Mining Purposes—

- 9. (a) Total amount of power to be developed theoretical horsepower.
- (b) Quantity of water to be used for power sec. ft.
- (c) Total fall to be utilized feet.
- (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)

Tp. R. W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return
 Sec. Tp. R. W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....2,000.00.....

12. Construction work will begin on or before 1 year from date of priority.....

13. Construction work will be completed on or before 2 years from date of priority.....

14. The water will be completely applied to the proposed use on or before 3 years from date of priority.....

Myrtle I. Wilson
(Signature of applicant)

Route 1 Box 361, Madford

Remarks:

10 x 20 dug hole for collection basin.

Harry A. Wilson and Myrtle I. Wilson

As copied from Warrangy Deed recorded in Jackson County Deed Records Vol. 250, Page 5.

Beginning at an iron pin on the west line of Donation Land Claim No. 40 in Township 38 South, of Range 2 West of the Willamette Meridian, in Jackson County, Oregon, which is 718.7 feet North of the Southwest corner of said Donation Land Claim No. 40; and running thence West 210 feet; thence South 173.5 feet; thence West on the South line of Donation Land Claim No. 45, same Township and Range, 1292.5 feet; thence North 405.5 feet; thence East 92 feet; thence North 11 degrees 21' East 210 feet; thence East 517 feet; thence South 77 feet; thence North 37 degrees 21' East 850 feet; thence South, on the west line of Donation Land Claim No. 40, 400.76 feet to the point of beginning; TRACT B: Beginning at a point 121 feet South of the Northeast corner of Donation Land Claim No. 45 in Township 38 South, of Range 2 West of the Willamette Meridian, in Jackson County, Oregon; running thence South, along the center of the County road, 302 feet; thence South 89 degrees 30' West 132.2 feet to Griffin Creek; thence down Griffin Creek, North 7 degrees 47' West 100 feet, North 13 degrees 36' West 100 feet, North 7 degrees 47' West 32.2 feet to the north line of Donation Land Claim No. 40; thence North 89 degrees 30' East, along the North line of said Claim, 1207 feet; thence South 89 degrees 30' West 121.2 feet; thence North 89 degrees 15' East 115.7 feet to the point of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of, 19

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring.

The use to which this water is to be applied is irrigation (supplemental)

If for irrigation, this appropriation shall be limited to 1/32nd of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 21, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 22nd day of March 1952

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.

Application No. 26075

Permit No. 26075

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21 day of June 1951 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 2056

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 15 Page 24 A

Fees Paid \$1.00