APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1, CB Buckancen fr				
of Button of applicants of app				
State of, do hereby make application for a permit to appropriate the				
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation				
, a tributary of Illelien CTi				
2. The amount of water which the applicant intends to apply to beneficial use is				
cubic feet per second. (If water is to be used from more than one source, give quantity from each)				
**3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)				
4. The point of diversion is located ft. and				
corner of (Styl) (Styl) (Section or published)				
1 /4 / NELES 2 Still 17 / 1 / 1 / 1				
Trange 3 Trest 11 74 50 0 110000 1 10000				
(If preferable, give distance and bearing to section corner)				
S.E. correr of Section 3. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)				
being within the				
(Give smallest legal subdivision) (N or S) R				
5. The (Main ditch, canal or pipe line) to be (Miles or feet)				
in length, terminating in the				
R, W. M., the proposed location being shown throughout on the accompanying map.				
DESCRIPTION OF WORKS				
Diversion Works—				
6. (a) Height of dam feet, length on top feet, length at bottom				
feet; material to be used and character of construction				
(Loose rock, concrete, masonry,				
rock and brush, timber crib, etc., wasteway over or around dam) (h) Description of head gate				
(b) Description of headgate(Timber, concrete, etc., number and size of openings)				
(c) If water is to be pumped give general description				
(Size and type of pump)				
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)				

^{*}A different form of application is provided where storage works are contemplated.

Canal System or Pipe Line-

			line)	
ousand feet.	feet; depth of u	xater	feet; grade	feet fall per one
(b) At		miles from he	adgate: width on top (at wate	r line)
	feet; width on	bottom	feet; depth of t	water feet
ade	feet fal	l per one thous	and feet.	
			size at intake,	in: size at ft
			f use 2" in.; dif	
		-		
		i Jt. 11	grade uniform?	Estimated capacity
	•			
8. Location	n of area to be	rrigated, or pl	ace of use2_6	Number Acres
	WHITE REPRIEM			To Be Irrigated
	1 .			
200 Same	3 %036	Tupee	Sort Cast 1/4	
1. 5.2 ac east quart	res in the	east half lon 3.	of the northwest qu	arter of the south
			quarter of the sout	theast quarter of
s.e.c.tion3.	•			•••••
3. 20 ac: Section 3	township	the west south, r	partion of the south	deast quarter of
In South	3 West	three	Exact Not SE2 of Sec	3
San San Jahan	j		SW	
	3 607	172'68	of Sec.	
1 3	3 W	3	SWK SEYA	12.2
	-		5E 10 SE 10	4.0
		(If more space	required, attach separate sheet)	9.9
(a) Char	racter of soil	· · · · · · · · · · · · · · · · · · ·		
(b) Kind	l of crops raised		<u></u>	
Power or Minir	ng Purposes—			
9. (a) T	otal amount of p	ower to be dev	peloped	theoretical horsepowe
(b) G	Quantity of water	r to be used for	r power	sec. ft.
(c) T	otal fall to be ut	ilized	(Head)	
			ns of which the power is to be	developed.

(e) S	Such works to be	located in		of Sec.
			(Legal Subdivision)	
	, R			
	s water to be ret		(Yes or No)	
(g) l	f so, name strea	m and locate p	oint of return	
		, Sec	, Tp	, R, W.
(h) '	The use to which	power is to be	e applied is	

(Mine of) County, having a present	population of
an estimated population of	in 19
(b) If for domestic use state number of	amilies to be supplied
(Answer questions 11, 15	, 13, and 14 in all eggs)
11. Estimated cost of proposed works, \$.2000	• :\0
12. Construction work will begin on or before	at once
13. Construction work will be completed on or	
14. The water will be completely applied to the	
January 1, 1951	
	ans some
	(Signature of applicant)
Remarks: I have a present com	ito wallo i ne in ininana a sinana a
r. appairention to expend the use	
ding station. I intend to take o	
action print of realist at an action	
To the necessary place to tract	
<u>, rom tropped nervicti.</u>	
nned, reinn to Minal Proof Surv	Trade in log robitition.
4 / isa to invitation	(0 2 90295
de la section de	. 5 00.108
o. 2000 o. 3, on 950 h.	
<u> </u>	5. 1.
and to be irrigated escribed by applicant clusive, Riverside Act	is more explicitly
escribed by applican	1 05 1075 1 to 18
clusive Riverside Aci	P (
TE OF OREGON, ss	
ounty of Marion,	
This is to certify that I have examined the for	regoing application, together with the accomp
	mpletion
s and data, and return the same for	
s and data, and return the same for	must be returned to the State Engineer, with
s and data, and return the same for	

By CHAS, E STRICKLING STATE PAGINEER

By Ed K. Humphrey, Assistant dec

PERMIT

STATE OF OREGON,

is to certify that I have examined the foregoing application and do hereby grant the same,

nd shall not exceed0_326 cubic feet per second measured at the point of div	version from the				
tream, or its equivalent in case of rotation with other water users, fromTualatin liver					
The use to which this water is to be applied is					
If for irrigation, this appropriation shall be limited to					
second or its equivalent for each acre irrigated and shall be further	limited to a				
diversion of not to exceed 21 acre feet per acre for each acre irrigat	ed during too				
irrication season of each year,					
and shall be subject to such reasonable rotation system as may be ordered by the proper s The priority date of this permit is	state officer.				
lete cr.1, 1275					
Complete application of the water to the proposed use shall be made on or before					

WITNESS my hand this day of , 1940. Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2 change	STATE ENGINEER				
	STATE ENGINEER				
WITNESS my hand this day of 1940.	STATE ENGINEER				

Application No. 262.03...

Permit No.

TO APPROPRIATE THE PUBL.
WATERS OF THE STATE
OF OREGON Division No. District No. PERMIT

This instrument was first received

office of the State Engineer at Salem, O 1945 1, at 6:00 o'clock A. M. on the 16 day of Luly

Corrected application received: Returned to applicant:

March 31, 1952

Approved:

Recorded in book No. 50 Permits on page 20595

CHAS. E. STRICKLIN

Drainage Basin No. 22...... Page 23

Fees Paid 🛡 15.00