

Permit-

Permit No. 20601



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, J. H. Crocker, of Route #1, Cornelius, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is East Dairy Creek, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 1.03 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located N42°57'W 2150.0 feet from the southeast corner of the Herman Harms D.L.C. #40 in T2n, R3W, W.M.

being within the NE 1/4 SE 1/4 of Sec. 34, Tp. 2N, R3 W, W. M., in the county of Washington

5. The main ditch, canal or pipe line to be 800 feet in length, terminating in the NW 1/4 SE 1/4 of Sec. 34, Tp. 2N, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 12' ft.; size at intake, 4 in.; size at ft. from intake in.; size at place of use 3" Gal. in.; difference in elevation between intake and place of use, 37' ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2N	3W	34	NE $\frac{1}{4}$ SW $\frac{1}{4}$	1.0
2N	3W	34	NW $\frac{1}{4}$ SE $\frac{1}{4}$	28.4
2N	3W	34	SW $\frac{1}{4}$ NE $\frac{1}{4}$	0.8
2N	3W	34	SE $\frac{1}{4}$ NE $\frac{1}{4}$	1.5
2N	3W	34	NE $\frac{1}{4}$ SE $\frac{1}{4}$	31.5
2N	3W	34	SE $\frac{1}{4}$ SE $\frac{1}{4}$	2.9
2N	3W	35	SW $\frac{1}{4}$ NW $\frac{1}{4}$	1.0
2N	3W	35	NW $\frac{1}{4}$ SW $\frac{1}{4}$	12.9
2N	3W	35	SW $\frac{1}{4}$ SW $\frac{1}{4}$	2.6
Total				82.6

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised Alfalfa, corn, wheat, clover

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2500.
- 12. Construction work will begin on or before August 1951
- 13. Construction work will be completed on or before July 1, 1952
- 14. The water will be completely applied to the proposed use on or before June 1, 1951

[Handwritten Signature]
(Signature of applicant)

Remarks: Property Description: Commencing at the southeast corner of the Herman Harms D.L.C. #40 in T2N, R3W, W.M., and running thence N12°30'E 27.29 chains to the southeast corner of the George E. Harms tract; thence west on the south line of the George E. Harms tract 64.77 chains to the east line of the J. C. Corey tract; thence South on the said east line 18.00 chains to the south line of said claim; thence S77°30'E 59.75 chains to the place of beginning, containing 125.9 acres.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 11.05 of one cubic foot per second or its equivalent for each acre irrigated and shall be so limited that the diversion of net to exceed 2 1/2 acre feet per acre for each year during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 1, 1952

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this day of

Charles E. Stricklin 19
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26211

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 19th day of July 19 52, at 2:05 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 20001

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 62 W

Fees Paid