

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, R. E. & MARIE A. HARLAN of 1303 North 4th St LAKEVIEW State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is UN-NAMED, a tributary of GOOSE LAKE

2. The amount of water which the applicant intends to apply to beneficial use is 0.50 cubic feet per second.

**3. The use to which the water is to be applied is IRRIGATION -

4. The point of diversion is located 5 12° 09' E DISTANCE 1085.4' FROM THE NW CORNER OF SEC. 3 T39S R20E.M.M

being within the NW NW of Sec. 3, Tp. 39S R. 20E, W. M., in the county of LAKE

5. The PIPE LINE to be 600' + in length, terminating in the SE NE of Sec. 4, Tp. 39S R. 20E W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate CONCRETE of timber - Walls and base to be Concrete - Slotted to admit head boards - Approx 4' High.

(c) If water is to be pumped give general description 1 - opening 4' x 4' to be used as spillway as necessary.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

20614

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600' ft.; size at intake, 4" in.; size at 600' ft. from intake 2" in.; size at place of use 2" in.; difference in elevation between intake and place of use, 45' ft. Is grade uniform? YES Estimated capacity, 0.50 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
395	20 E 1/4 M	4	SE 1/4 NE 1/4	2.3
"	"	"	SW 1/4 NE 1/4	2.1
<u>LEGAL DESCRIPTIONS</u>				
<u>The NW 1/4 of the NW 1/4 of Sec. 3 T39S R20 E 1/4 M.</u>				

(If more space required, attach separate sheet)

(a) Character of soil LOAM

(b) Kind of crops raised GARDEN PRODUCTS & HOY

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 26263

And:

Beginning at a point 1814.32 feet west and 1740.54 feet south of the northeast corner of section 4, twp.39 S.R. 20 E. W. N., thence running southeasterly along the east boundary line of the Fremont Highway right of way a distance of 200 feet, thence north $73^{\circ}13'$ east 1565.40 feet to a point on the old Lakeview Paisley Highway, thence north $82^{\circ}47'$ West 300 feet, thence west 768 feet to the northeast corner of a tract of land deeded to the United States of America, said deed having been recorded in volume 77, page 263 Records of Deeds for Lake County, Oregon, thence south 212 feet to the southeast corner of said last mentioned tract, thence 332.33 feet west to the northeast corner of a tract of land described in volume 100, page 23 of the records of deeds for Lake County, Oregon, thence south 184.54 feet to the southeast corner of said last mentioned tract, thence west 423.50 feet to the point of beginning, together with the right of way for the purpose of ingress to and egress from said premises along and across the Old County Road from the U.S. Highway #395 northerly to the northeasterly extremity of the property herein described.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000⁰⁰
- 12. Construction work will begin on or before Oct 1 1951
- 13. Construction work will be completed on or before May 1 1953
- 14. The water will be completely applied to the proposed use on or before May 1 1953

P. E. Carlson
(Signature of applicant)
Marie J. Carlson

Remarks: This Stream is very short and dependent entirely upon late snow conditions and run off. It is usually entirely dry by June 1. In order to take advantage of the water it must of necessity be utilized not later than the month of May. Water conditions in the stream are variable from year to year. It is proposed to install a concrete and wood head gate at the location shown on the enclosed drawing and pipe the water from here to where it would be utilized by portable sprinklers to irrigate alfalfa and a garden area. An alternate proposal is to construct a stilling basin at the end of the pipe line and flood irrigate from there if the ground did not prove too steep.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2,200 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1,000 of one cubic foot per second or its equivalent for each acre irrigated and shall in no event exceed 2 1/2 acre feet per acre for each irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is 11/15/51

Actual construction work shall begin on or before 11/15/52 and shall thereafter be prosecuted with reasonable diligence and be completed on or before 11/15/53

Complete application of the water to the proposed use shall be made on or before 11/15/53

WITNESS my hand this 11th day of

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26263
Permit No. 20611

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3 day of August 19 51, at 1:00 o'clock P. M.
Returned to applicant:

Corrected application received:

Approved:

March 31, 1952
Recorded in book No. 50 of

Permits on page 20611
CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 13 Page 262

Fees Paid