

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Eugene H. Fisher, of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is ... a tributary of ...

2. The amount of water which the applicant intends to apply to beneficial use is ... cubic feet per second.

\*\*3. The use to which the water is to be applied is ...

4. The point of diversion is located ... ft. and ... ft. from the corner of ...

being within the SE 1/4 NW 1/4 & SW 1/4 SE 1/4 of Sec. 28, Tp. 23 S, R. 7 W, W. M., in the county of ...

5. The ... to be ... in length, terminating in the ... of Sec. ...

R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ...

(b) Description of headgate ...

(c) If water is to be pumped give general description ...

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLAMETTE MERIDIAN			

If more space required, attach separate sheet

- (a) Character of soil
- (b) Kind of crops raised

**Power or Mining Purpose—**

- (a) Total amount of power to be developed ..... theoretical horsepower.
- (b) Quantity of water to be used for power ..... sec. ft.
- (c) Total fall to be utilized ..... feet.
- (d) The nature of the works by means of which the power is to be developed

Tr. S. S. of S. 1, R. No. E. of W. W. M. of Sec. Legal subdivision

(e) Is water to be returned to any stream? ..... Yes or No

(f) If so, name stream and locate point of return

Sec. Tp. R. W. M. (No. S. of S.) (No. E. of W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

**Municipal or Domestic Supply—**

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2500.00
- 12. Construction work will begin on or before \_\_\_\_\_
- 13. Construction work will be completed on or before \_\_\_\_\_
- 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_  
on hand and system operating at present time.

*August H. Fisher*  
(Signature of applicant)

Remarks: This is a portable public system for \_\_\_\_\_  
equipment:

750 feet 4" main line pipe

200 " 1 1/2" lateral pipe

500 " 3" " " "

one 3" belt drive pump \_\_\_\_\_

10 H.P. electric motor

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.90 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unappa River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 1, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 23rd day of March 1952

Chas. E. Stricklin  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 26285

Permit No. 2062

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of August 1951, at 8:00 o'clock A. M.  
Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 20631

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 16 Page 2

Fees Paid \$ 2.00