

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Grant Wright of 203 West 9th St., Tillamook, Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Gales Creek, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.37 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 2510 feet from the northwest corner of Section 8, T1N, R4W, W.M.

being within the NE 1/4 NW 1/4 of Sec. 8, Tp. 1N, R. 4W, W. M., in the county of Washington

5. The PIPE LINE to be 1.000 miles in length, terminating in the NW 1/4 NW 1/4 of Sec. 8, Tp. 1N, R. 4W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1 1/2 PUMP 5 H.P. ELECTRIC WATER TO BE LIFTED 16 ft

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

20634

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 2 1/4 in.; size at 500 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 16 ft. Is grade uniform? Yes Estimated capacity, 0.37 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Contains handwritten entries for 1N 4W 8 NW 1/4 NW 1/4 (3.5 Ac.) and 1N 4W 8 NE 1/4 NW 1/4 (26.4 Ac.), with a total of 29.9.

(If more space required, attach separate sheet)

(a) Character of soil CAMAS
(b) Kind of crops raised CANNERY CROPS

Power or Mining Purposes

9. (a) Total amount of power to be developed ... theoretical horsepower.
(b) Quantity of water to be used for power ... sec. ft.
(c) Total fall to be utilized ... feet.
(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec.

Tp. ... R. ... W. M.

(f) Is water to be returned to any stream? ...

(g) If so, name stream and locate point of return

... Sec. ... Tp. ... R. ... W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

11. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 2000.....
- 12. Construction work will begin on or before July 1952.....
- 13. Construction work will be completed on or before July 1953.....
- 14. The water will be completely applied to the proposed use on or before July 1956.....

Grant Wright
(Signature of applicant)

Remarks: Property Descriptions: (Vol. 318, p. 507, Washington County Oregon, Deed Records) Parcel 1: Beginning at a point N1°04'W 1972.98 feet and S89°20'E 1347 feet from the center of Section 7, in T1N, R4W, W.M., said point being in the County Road, and also the northeast corner of the Thomas Seth tract; running thence S55°05'E 832.5 feet along said county road; thence S89°20'E 1262.2 feet to a point in the center of county road No. 30 from which an iron pipe bears N89°20'W 30 feet; thence N0°38'E along the center of County Road No. 30, 468.56 feet to a point from which an iron pipe bears N89°20'W 35 feet; thence running N89°20'W 1950.1 feet to the place of beginning.

Parcel 2: Commencing at a point 23.74 2/3 chains north of the southeast corner of the northwest quarter of Section 8, in T1N, R4W, W.M., run thence west 30 chains, thence north 13 1/3 chains, thence east 30 chains, thence south 13 1/3 chains to the place of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.37 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Sales Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 13, 1952

Actual construction work shall begin on or before March 13, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 23rd day of March, 1952

Chas. E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26289

Permit No. 201

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 10th day of August

1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 50 of

Permits on page 20631

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 628

Fees Paid \$1