

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, J. R. McKy of Eugene, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Coyote Creek, a tributary of Long Tom river

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 768.6 feet South 19° 30' west of the section corner common to Section 1, 2, 11 and 12 of Township 16 South, Range 5 West, Willamette Meridian, Lane County, Oregon

being within the NE 1/4 of NE 1/4 of Sec. 11, Tp. 16S, R. 5E, W. M., in the county of Lane. The pipe line to be 1000 feet 6 inch in length, terminating in the NW 1/4 of Sec. 12, Tp. 16S, R. 5E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 5 hp electric motor single phase

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1460 ft.; size at intake, 5 inch in.; size at 1000 ft. from intake 3 inch in.; size at place of use 3 inch in.; difference in elevation between intake and place of use, 8 ft. Is grade uniform? YES Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	5 W	11	NE 1/4 NE 1/4	5
			SW 1/4 NE 1/4	5
		12	SW 1/4 SW 1/4	5
Beginning at the Southwest corner of Donation Land Claim No. 11				
Mortif. 5275 in Section 11, T. 18 S., R. 5 W., M. and running				
thence North 50 chains; thence East 28.2 chains, thence South 28.2 chains				
thence West 28.20 chains to the place of beginning, containing 120				
Acres more or less, in Lane County, Oregon.				
		12	SW 1/4 SW 1/4	5

(If more space required, attach separate sheet)

(a) Character of soil Willamette Valley Silty Clay Loam

(b) Kind of crops raised grass and grains

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1250
- 12. Construction work will begin on or before August 15, 1951
- 13. Construction work will be completed on or before August 15, 1952
- 14. The water will be completely applied to the proposed use on or before August 15, 1952

J. J. Kelly
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 194_____

WITNESS my hand this _____ day of _____, 194_____

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.363 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Corvallis Branch

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 31, 1952

Actual construction work shall begin on or before March 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 27th day of

March 1952
Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26293
Permit No. 300

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.
This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 10th day of August
1951, at 1:10 o'clock P. M.

Returned to applicant:
Corrected application received:

Approved: March 31, 1952

Recorded in book No. 50 of
Permits on page 20638

CHAS. E. STRICKLIN
STATE ENGINEER
Drainage Basin No. 2 Page 10

Fees Paid
STATE PRINTING DEPT