

Permit-22-0-0

Permit No. 20642



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, E. E. Robinson, of Central Point, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is tributary Snider Creek, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

\*\*3. The use to which the water is to be applied is

4. The point of diversion is located ft. and ft. from the corner of

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the of Sec. Tp. R. W. M., in the county of

5. The to be in length, terminating in the of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission...

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 1200 ..... ft.; size at intake, ..... 7 ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... 3 ..... in.; difference in elevation between intake and place of use, ..... 10 ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft. 24 sprinkler heads

8. Location of area to be irrigated, or place of use .....

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLAMETTE METERS				
24 S.	24 E.	10	Lot 11, NW 1/4	2 ✓
			Lot 6, SW 1/4	1 ✓

Edward H. Robinson

Description  
Hydro...

(If more space required, attach separate sheet)

(a) Character of soil .....  
 (b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (Head)  
 (d) The nature of the works by means of which the power is to be developed .....  
 (e) Such works to be located in ..... of Sec. ....  
 (Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
 (No N or S) (No E or W)

(f) Is water to be returned to any stream? .....  
 (Yes or No)  
 (g) If so, name stream and locate point of return .....  
 Sec. ...., Tp. ...., R. ...., W. M. ....  
 (No N or S) (No E or W)

(h) The use to which power is to be applied is .....  
 (i) The nature of the mines to be served .....

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,000.00

12. Construction work will begin on or before 1 yr. from date of priority

13. Construction work will be completed on or before 2 yrs. from date of priority

14. The water will be completely applied to the proposed use on or before 3 yrs. from date of priority

E. E. Robinson

P. 2 Box 290

Remarks: Central Point

~~John J. [Signature]~~  
(Signature of applicant)

~~[Signature]~~

See your State Survey of Inchoate Rights, dated 1935

of the \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 194\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 194\_\_\_\_\_

PERMIT

STATE OF OREGON,  
County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.31 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1.31 of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority, date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this day of

*Chas. E. Stucklin*  
STATE ENGINEER

Fees for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74 Oregon Laws 1933

Application No.

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10<sup>th</sup> day of August, 1951 at 1:30 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952 of

Recorded in book No. 50

Permits on page 20612

CHAS. E. STUCKLIN  
STATE ENGINEER

Drainage Basin No. Page

Fees Paid 12