

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Nick C. Horras, of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Prairie Creek, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 128 gallons per minute cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 94 ft. North and 579 ft. West from the corner of the N.E. quarter of the S.E. quarter of Sec. 6, Twp. 2 S. of R. 9 W. of W.M.

being within the S. 1/2 of N.E. 1/4 of S.E. 1/4 of Sec. 6, Twp. 2 S. of R. 9 W. W.M., in the county of Tillamook

5. The to be in length, terminating in the of Sec. Twp. W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description one 1 1/2 Bl2 Pacific Pump with 150 capacity

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. in.; size at place of use in.; difference in elevation between base and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

Location of area to be irrigated, or place of use 20 acre tract; the S. half of the N.E. quarter of Southeast quarter of Sec. 6, T. 2 S., R. 2 E., S. 13

Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
	6	S. 1/2 of N.E. 1/4 of S.E. 1/4	20 acres

If more space is required, attach separate sheets

W. M.

(1) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before is completed and in use now.....
- 13. Construction work will be completed on or before done.....
- 14. The water will be completely applied to the proposed use on or before in use now.....

Richard W. Jones
(Signature of applicant)

Remarks:

This system is already in operation and has been used for some time; the pump is placed at the pot-hole, point of diversion as indicated on the map, from which water is converted through movable pipes with sprinklers attached, thereby irrigating the 20 acre tract by what is commonly known as a "Sprinkling system".

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 2.5 of one cubic foot per second or its equivalent for each acre irrigated and shall not exceed 1.5 cubic feet per acre for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before

Complete application of the water to the proposed use shall be made on or before

WITNESS my hand this day of

19
[Signature]
STATE ENGINEER

Permits for project development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 263
Permit No.
PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON
Division No. District No.
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of August 1951, at 8:00 o'clock A. M.
Returned to applicant:
Corrected application received:
Approved:
Recorded in book No. of
Permits on page 20673
STATE ENGINEER
Drainage Basin No. Page 15A
Fees Paid