

Permit No. 20690

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, HENRY FRISON (Name of applicant) of Rt 1 Box 291 Tigard Ore (Mailing address) State of OREGON do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring Creek & Tualatin River (Name of stream) a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is .375 cubic feet per second. .250 from Tualatin & .125 from Spring Creek (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of any point on my property where stream described in item 1 touches my property in SW 1/4 NW 1/4 & SE 1/4 NW 1/4 of Section 14

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 14 Tp. 36 N. or S.

R. 1 W. M., in the county of Wasco, Ore.

5. The Main ditch, canal or pipe line to be in length, terminating in the of Sec. Tp. (Miles or feet) (Smallest legal subdivision) (N or S)

R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2 + 1/2 hp motor (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2400

12. Construction work will begin on or before August 20th 1951

13. Construction work will be completed on or before August 20th 1953

14. The water will be completely applied to the proposed use on or before August 20th 1954

Henry Finson
(Signature of applicant)

Remarks: Commencing on the Section line running between Sec. 11 and 14 T2 S R 1 W of Will. Mer. 20 chains East of the NW corner of Sec. 14, at the S.W. corner of the Joseph Sax's land, thence East ten (10) chains thence South 30 chains to the South line of the Col. Richardson Donation Land Claim; thence West on said line ten (10) chains; thence North thirty (30) chains to the place of beginning. Containing thirty (30) acres more or less. Said land being a part of the West 1/2 of the Solomon and Elizabeth Richardson Donation Land Claim. Notification number 1456 surveyed and designated as Claim #44 situated in Sec. 14, T 2 South Range 1 West of Willamette Meridian in Washington County, State of Oregon save and except a strip of land sixteen (16) feet wide off the North end of the above described thirty (30) acre tract which said sixteen (16) feet is reserved for road purposes.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 15 19 51

WITNESS my hand this 13th day of September 19 51

CHAS. F. STRICKLIN

By Ed K. Humphrey, Assistant
STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.321 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Spring Creek and Tualatin River, being 0.107 c.f.s. from Spring Creek and 0.214 c.f.s. from Tualatin River.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 24, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 19 52.

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26364

Permit No. 1000

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of August 19 51, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 51 of 20690 Permits on page

Chas. E. Stricklin STATE ENGINEER

Drainage Basin No. 2 Page 57 & 102-X

Fees Paid