

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Hobin Logging Co. of M. R. 1, Box 1202, Sweet Home, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Hamilton Creek, a tributary of South Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is .35 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 2145 ft. N and 1650 ft. E from the SW corner of Section 30

being within the NE 1/4 SW 1/4 of Sec. 30, Tp. 12 S

R. 1 E, W. M., in the county of Linn

5. The main pipe line to be 1500' in length, terminating in the SW 1/4 of Sec. 30, Tp. 12 S

R. 1 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 3" centrifugal pump, 10 H. P. electric motor - 3 foot lift

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1500 ft.; size at intake, 4" in.; size at 1500 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? yes Estimated capacity, .35 sec. ft.

8. Location of area to be irrigated, or place of use (See Below)

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
12 S	1 E	30	NE 1/4 SW 1/4	17.2 ✓
12 S	1 E	30	NW 1/4 SW 1/4	8.5 ✓
12 S	1 E	30	SE 1/4 SW 1/4	1.6
				27.3

Property on which water is to be used is a part of the same property as follows:

Beginning at the northwest corner of the south half of the northwest quarter of the southeast quarter of section 30, T. 12 S. R. 1 E. of the W.M.; thence south on the north and south center line of said Section 30, 660 feet to the southeast corner of the northeast quarter of the southwest quarter of Section 30; thence west on the south line of the northeast quarter of the southwest quarter, 990 feet to a point 5 chains east of the northwest corner of the northeast quarter of the southwest quarter of said Section 30; thence north to the center line of Hamilton Creek; thence northerly along said center line of Hamilton Creek to a point 505 feet west of the north and south center line of Section 30; thence south parallel to said north and south center

(If more space required, attach separate sheet)

(a) Character of soil Alluvial, volcanic and alluvial

(b) Kind of crops raised Corn, wheat, alfalfa

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3000.00

12. Construction work will begin on or before May 15, 1952

13. Construction work will be completed on or before July 1, 1952

14. The water will be completely applied to the proposed use on or before Aug. 1, 1955

Hobin Logging Co
(Signature of applicant)
by Alphor Schen

Remarks:

(CONTINUED FROM I.D.M. 2)

Line of Section 30 to the south line of the north half of the northeast quarter of the southwest quarter of Section 30; thence east on said south line of the north half of the northeast quarter of the southwest quarter of point of beginning.

ALSO; The south half of the southeast quarter, and the east half of the southeast quarter of the southwest quarter, and the south half of the northwest quarter of the southeast quarter of Section 30, T. 12 S. R. 1 E. of the W. M.

ALSO, BEGINNING at the center of Section 30 in T. 12 S. R. 1 E. of the W. M., and running thence north to the center of the County road leading from Lebanon past Berlin and up Hamilton Creek, known as the Lebanon and Berlin road; thence west 30 feet; thence south to a point 30 feet west of the place of beginning, thence east 30 feet to the place of beginning, the said tract of land above described to be for a road way, same to be along the west side of Mint Creek on the land suitable for road.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON, }
County of Marion. } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.341 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hamilton Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a maximum of 2 cubic feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 29, 1952

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953.

Complete application of the water to the proposed use shall be made on or before October 1, 1953

WITNESS my hand this 31st day of March 1952.

Chas. E. Stricklin
STATE ENGINEER

Permits for development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 24, Oregon Laws 1933.

Application No. 10000
Permit No. 10000

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29 day of August 1951 at 8:02 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 51 of Permits on page 20000

Chas. E. Stricklin STATE ENGINEER

Drainage Basin No. Page

Fees Paid