

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Roy C. Butler, of C.V. Route Roseburg, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

3. The use to which the water is to be applied is irrigation.

4. The point of diversion is located ft. and ft. from the corner of Lots 6-7 of Miller Dillard subdivision, Plat A in Douglas County Oregon at N.W. cor, Lot 8, plat A, Miller Dillard, wid.

being within the S.E. 1/4 by N.E. 1/4 of Sec. 28, Tp. 28 S, R. 6 W, W. M., in the county of Douglas

5. The 800 ft to be 1800 ft in length, terminating in the S.E. 1/4 N.E. 1/4 of Sec. 28, Tp. 28, R. 6 W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet, material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 4 in 3/4 in 15 horse electric motor

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

20702

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, in.; size at ft. from intake in.; size at place of use 4 in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? Estimated capacity, cc ft.

8. Location of area to be irrigated, or place of use

Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
		78-17	38
28	27	NE 1/4	7
	27	SE 1/4 NE 1/4	21
	27	SW 1/4 NE 1/4	10

If more space required, attach separate sheet

(a) Character of soil

(b) Kind of crops raised

Power for Mining Purposes

9. (a) Total amount of power to be developed hp. (actual horsepower)

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec

Tp. R. W. M.

(f) Is water to be returned to any stream? Yes or No

(g) If so, name stream and locate point of return

Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served



10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3600.00

12. Construction work will begin on or before _____

13. Construction work will be completed on or before Jan. 1, 1919

14. The water will be completely applied to the proposed use on or before _____

W. C. Bunker
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.478 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua river

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 31, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March, 1952

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 822
Permit No. 822

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31 day of August 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved: March 31, 1952

Recorded in book No. 51 of Permits on page 207(1)

Chas. E. Stricklin
STATE ENGINEER

Drainage Basin No. Page
Fees Paid