

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Francis A Buckley of Dundee, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Hess Creek, a tributary of Willanette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 57' ft. N and 900' ft. W from the NW corner of Seward Fulquartz D.L.C.

being within the NW 1/4 of the SE 1/4 of Sec. 35, Tp. 3S, R. 3W, W. M., in the county of Yamhill

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam 3.0 feet, length on top 8 feet, length at bottom ... feet; material to be used and character of construction timber

(b) Description of headgate

(c) If water is to be pumped give general description 2" cent 10 HP elec motor 23 8 gpm

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
3S	3W	35	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	18Ac
3S	3W	35	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	9Ac
3S	3W	35	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	1Ac
3S	3W	35	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	1 $\frac{1}{2}$ Ac
3S	3W	35	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	$\frac{1}{2}$ AC
				30 Acres

(If more space required, attach separate sheet)

(a) Character of soil Willamette

(b) Kind of crops raised Pasture and Seed

Power or Mining Purposes--

(a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1700.00
- 12. Construction work will begin on or before Has been commenced
- 13. Construction work will be completed on or before One² years after approval
- 14. The water will be completely applied to the proposed use on or before 3 yrs

Francis R. Buckley
(Signature of applicant)

Remarks:

(CONTINUED FROM ITEM 8)

Beginning at a point 22.15 ch South of the NE cor. of Flores Blaquaria 16.1.1.; S 10.45 ch to stake in Co. road; N 20.25 ch to a pin at NE corner of land owned by Henry Ecks and Chris Ecks by Marie A. Rosner and husband; East along N 1/2 line of said Claim 13.60 ch to center of Co. road; S 23.00 ch along center of road 1/2 ch; S 10.15 ch along center of road 11.70 ch; S along private road 11.70 ch; S 1/2 line of said claim; S 6.95 ch to point of beginning; With exceptions for railroad and water containing 73.63 acres

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hess Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 4, 1951

Actual construction work shall begin on or before March 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 2nd day of March 1952

Robert S. Hutchinson
STATE ENGINEER

Permits for water appropriation are subject to the payment of annual fees as provided in Sections 2 and 3, Chapter 4, Oregon Laws 1933

Application No. 422
Permit No. 100

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 2nd day of March 1952

at _____ o'clock _____ P. M.

Returned to applicant:

Corrected application received:

Approved

March 22, 1952

Recorded in book No. _____

Permits on page 20717

STATE ENGINEER

Drainage Basin No. _____

Page 6 of 6

Fees Paid