

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, CHAS A Schiedler of IT #1 Box 311 Silverton Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed stream, a tributary of North Fork

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc)

4. The point of diversion is located 112.6 ft. S. 24°38' E and ft. from the W 1/4 corner of Sec 22

being within the M. R. of Sec. Tp. R. W. M., in the county of

5. The Main ditch, canal or pipe line to be in length, terminating in the of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 20 sprinklers

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 72 feet; width on bottom 8 feet; depth of water 2.5 feet; grade 2.5 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1900 ft.; size at intake, 3 in.; size at ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	2.0
6S	1E	22	NW $\frac{1}{4}$ SW $\frac{1}{4}$	13.6 acres
6S	1E	21	NE $\frac{1}{4}$ SE $\frac{1}{4}$	9.4 acres
6S	1E	21	SE $\frac{1}{4}$ NE $\frac{1}{4}$	2.0 acres

If more space required, attach separate sheet.

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. , R. , W. M.

(f) Is water to be returned to any stream?

(g) If so, name stream and locate point-of return

 Sec. , Tp. , R. , W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

12. (a) To supply the city of _____ County, having a present population of _____ and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 275
12. Construction work will begin on or before Sept 10 1951
13. Construction work will be completed on or before Dec 31, 1951
14. The water will be completely applied to the proposed use on or before Dec 31, 1952

Charles A. Johnson (Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.338 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under Application No. R-26416, Permit No. R- 1251

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R- 1251

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 7, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 19 52

Charles F. Stricklin
STATE ENGINEER

Permits for peat development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74 Oregon Laws 1933.

Application No. 17
Permit No. 17

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of September, 1952 at 11 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:
March 31, 1952

Recorded in book No. 51 of
Permits on page 20719

Chas. F. Stricklin
STATE ENGINEER

Drainage Basin No. Page 1002

Fees Paid