

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John Hagestrom, of Hebo, Oregon, State of Ore., do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring, a tributary of Three Rivers. 2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second.

3. The use to which the water is to be applied is domestic supply only.

4. The point of diversion is located 1010.32 ft. S. and 300.71 ft. E. from the N.W. corner of Section 13.

being within the N.W. 1/4 of N.W. 1/4 of Sec. 13, Tp. 4 South, R. 10 W., W. M., in the county of Tillamook.

5. The Pipe to be 190 Ft. in length, terminating in the N.W. 1/4 of N.W. 1/4 of Sec. 13, Tp. 4, So., R. 10 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 5 feet, length at bottom 7 feet; material to be used and character of construction Concrete.

(b) Description of headgate Concrete - opening for 2" pipe.

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

20726

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 190 ft.; size at intake, 2 in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 30.0 ft. Is grade uniform? yes Estimated capacity, 0.18 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries include '45 WILLAMETTE MERIDIAN', '10W', '13', 'NW 1/4 NW 1/4', and a detailed description of property conveyance from Frank H. Bates and Eva V. Bates to John Hagestrom and Neva Hagestrom.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp. R. W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(Yes or No)

(g) If so, name stream and locate point of return

Sec.

Tp.

(No. N. or S.)

R.

(No. E. or W.)

W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied *Three*.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$*1800.⁰⁰*.....
- 12. Construction work will begin on or before *Completed*.....
- 13. Construction work will be completed on or before *Completed*.....
- 14. The water will be completely applied to the proposed use on or before *Now in Use*.....

John Hagstrom
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 10, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1953

Charles E. Shucklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 1000000000
Permit No. 1000000000

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10 day of September 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 12, 1953

Recorded in book No. 17 of

Permits on page 20726

STATE ENGINEER

Drainage Basin No. / Page 100

Fees Paid