

Permit No. 20731

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, M.L. Rogers, of Sutherlin, R#1 Box 280, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Calapooya Creek, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 3/20 cubic feet per second. 150

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 335.0 ft. from the corner of Section 9, Tp. 25 S., R. 4 W., W. M., in the county of Douglas

5. The main ditch, canal or pipe line to be in length, terminating in the Section 9, Tp. 25 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1 1/2" Centrifugal Pump, 5 HP Electric, feet

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 690 ft.; size at intake, 4 in.; size at 690 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? **yes** Estimated capacity, 150 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25	4 W	9		7.5
"	"	9		1.0
Property on which water is to be used is a part of that now held by applicant as follows:				
Beginning at a 3/4" x 1 1/2" iron pipe on the North side of the County road, 1/2 mile South, from the Northwest corner of the D.L.C. 740 County road and running South 1/2 mile to the soil County road and running North 134.0 feet to a point in the Malapoa river; thence north along the center of said river, South 138 feet 6 1/2 feet to said river and running South 11.0 to the center of said river, thence continue South 11.0 feet to the place of use, 1/2 mile South, 1/2 mile.				

(If more space required, attach separate sheet)

- (a) Character of soil Black loam free soil
- (b) Kind of crops raised Pasture, Clover, English Rye, etc. Lotus

Power or Mining Purposes—

- 9. (a) Total amount of power to be developed ..... theoretical horsepower.
- (b) Quantity of water to be used for power ..... sec. ft.
- (c) Total fall to be utilized ..... feet.
- (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....

Tp. ...., R. ...., W. M. ....

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. ...., Tp. ...., R. ...., W. M. ....

(h) The use to which power is to be applied is

(i) The nature of the mines to be served



PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Calapooya Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 11, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of

March 1952  
*Charles E. Stubbins*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 2... 45

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11 day of September 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 51 of

Permits on page

STATE ENGINEER

Drainage Basin No. 46 Page 4

Fees Paid