

Permit

Permit No. 150

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, The Consumers Cooperative Association, a Kansas corporation of Swisshome, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation April 15, 1931, State of Kansas

1. The source of the proposed appropriation is Un-named Creek, and reservoir to be constructed, a tributary of Susquehanna River.

2. The amount of water which the applicant intends to apply to beneficial use is 5.72 cubic feet per second.

**3. The use to which the water is to be applied is Domestic, Fire Protection, Irrigation, power, mining, manufacture of domestic supplies, etc.

4. The point of diversion is located ... ft. and ... ft. from the corner of ... Section or subdivision ... (If preferable, give distance and bearing to section corner)

being within the ... of Sec. ... (Give smallest legal subdivision) ... (N. or S.) R. ... W. M. in the county of ... (E. or W.)

5. The ... to be ... in length, terminating in the ... of Sec. ... (Smallest legal subdivision) ... (N. or S.) R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ... (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate ... (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description ... (Size and type of pump) ... (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) Not applicable feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet. Not applicable

(c) Length of pipe, 1600 ft.; size at intake, 16 inch in.; size at 1600 ft. from intake 16 inch in.; size at place of use 16 inch in.; difference in elevation between intake and place of use, 150.0 ft. Is grade uniform? No Estimated capacity, 5000 gal. per min. sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
17 S	9 W	30	Lot 5	
			Lot 4	
			Lot 3	
			Lot 2	
			Lot 1	

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Beginning at the intersection of the North line of Lot 2, Section 30, Township 17 South, Range 9 West, Willamette Meridian, with the West township line of said township; thence South along township line to its intersection with the Siuslaw Highway; thence follow the Siuslaw Highway in a general Southerly and Easterly direction to its intersection with the East line of Lot 5 of said Section 30 if extended due South to the Highway; thence North along said line and along the East line of Lot 5 to a line coincident with the North line of Lots 2 and 3 if extended East; thence due West and

(If more space required, attach separate sheet) (CONTINUED UNDER REMARKS)

(a) Character of soil Not applicable

(b) Kind of crops raised

Power or Mining Purposes— Not applicable

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of Not Applicable

(Name of) County, having a present population of and an estimated population of in 19

(b) If for domestic use state number of families to be supplied 60 now--75 planned when material is available

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$10,000.00

12. Construction work will begin on or before immediately

13. Construction work will be completed on or before October 1, 195

14. The water will be completely applied to the proposed use on or before October 1, 195

The COMBUNKS COOPERATIVE ASSOCIATION (Signature of applicant)

By W. H. Saffley - General Manager of Lumber Mill and Logging -

Remarks:

(CONTINUED FROM ITEM 8) along the North line of Lots 2 and 3 to the point of beginning. Except that part of Lot 4 lying West of Count Creek.

Also, beginning at the intersection of the Siuslaw Highway with the East line of Lot 5 if extended South to the Highway and thence East to a point 100 ft. East of the East line of Lot 5 extended South; thence North 700 ft.; thence East 50 ft.; thence North 600 ft.; thence West 50 ft.; thence North to the North line of the Southeast 1/4 North-east 1/4 of Section 30; thence West to the Northeast corner of the tract described in the first description herein; thence South to the point of beginning in Section 30, Township 17 South, Range 9 West of the Willamette Meridian, reserving unto grantors the right to use a certain log road now existing on the Eastern boundary of the last described tract, subject to the easements of record.

Except tract conveyed to the State of Oregon by and through State Highway Commission by deed recorded January 1942.

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before

WITNESS my hand this

day of

19

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.22 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek and reservoir to be constructed under Application No. R-26471, Permit No. R- 1257.

The use to which this water is to be applied is domestic, mill operation and fire protection, being 0.75 c.f.s. for domestic and 4.47 c.f.s. for mill operation and fire protection,

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 21, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1952

Charles E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 5012
Permit No. 5012
PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON
Division No. District No.
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21 day of September 1951, at 8:00 o'clock A. M.
Returned to applicant:
Corrected application received:
Approved: March 31, 1952
Recorded in book No. 51 of
Permits on page
CLAS. E. STRICKLIN STATE ENGINEER
Drainage Basin No. Page 260
Fees Paid