1)

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, James Robert Givens and Georgie Lorayne Givens	·····
of Rt. 3, Box 899, Albany	
State ofOragon, do hereby make application for a permit	to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIC	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is Calabooia River	······
(Name of stream) a tributary of Millamette River	
2. The amount of water which the applicant intends to apply to beneficial use is	ત્ર]:
cubic feet per second. (We water is to be used from more than one source, give quantity from ea **3. The use to which the water is to be applied is	
4. The point of diversion is located ft. and ft. (R. or S.)	from the
corner of Irrigation by means of portable pumping equipment from Calapson along river within NW NE, Section 26; What Spection 23; and NW SE, Section 23, Township 11 South, Range heest, crease to a sisting of 8 acre NW SE, 5 acres S. CD, 1 acre NW, and 1h. ac Section 23; and 25 acres NW and 2.8 acres NW NE. Section 26, Township 12 Section 26	T , Geotion 23 Se immigated con Prop 37 311,
being within the).
R, W. M., in the county ofLinn	(N. or S)
5. The main wine line to be (Miles	
(Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) (Smallest legal subdivision)	or feet)
R	(N. or S.)
(E. or W.)	inying map.
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top feet,	lenath at hottom
feet; material to be used and character of construction	
(Loose) rock and brush, timber crib, etc., wasteway over or around dam)	rock, concrete, masonry,
(b) Description of headgate	
(c) If water is to be pumped give general description 2" contribution of such and type of pum (Size and type of pum	200 (200 (200 (200 (200 (200 (200 (200
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

^{*}A different form of application is provided where storage works are contemplated.

(g) If so, name stream and locate point of return

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

and the second of the second o

, Sec., Tp., R.

(No. E. or W.)

(O) IJ JOT GOMESTIC HAS SI	Andr • A. A. A. A	
-	tete number of families to be supplied	
	(Answer questions 11, 12, 13, and 16 in all cases)	٠
11. Estimated cost of proposed	works, \$ 2000.00	
12. Construction work will be	rin on or before June 15, 1952	
13. Construction work will be	completed on or before July 1, 1052	
14. The water will be complete	ely applied to the proposed use on or before	1055
James	Robert Guine Deorgie Soragi.	e L
	by to the Diven	
Remarks:		
	•	
ng at a point in the cente	er of a County Road 25 chains Forth and Last	
East from the Southwest co	orner of the Donation Land Claim of Coope I	3
and wife, same being Notif	fication No. 1781 and Claim of Coore	•
n, dange 4 West of the Wil	llamette levidian, in Linn Jounty, Or on, at	
thence East 27.30 chains	to the center of Calabooia Creek; thence do	` t !
10 10 11 5tf-3/tfo f	last 3.49 chains. Horth 8310 cat 2 32	im prilit
20.0 East 2 A5 above Stands	Topic and the second of the se	m onli o _g
Courth 60751	1 20% west 2 chairs, North 87-3/49 west	9,
Ope East 2.65 chains North	1 20% west 2 chairs, North 87-3/49 west	9,
Couth 60°15 West 3.75 ch	1 20% west 2 chairs, North 87-3/40 west stains, South 670 est 1.08 chains. South 92.0	S ,
One East 2.05 chains North South 60 15 Lest 3.75 ch	1 20% west 2 chairs, North 87-3/40 west stains, South 670 est 1.08 chains. South 92.0	S ,
South 60°151 West 3.75 ch 96 chains, South 85° West t 4.27 chains, North 72° E	n 20% west 2 chairs, North 27-3/49 west hains, South 670 est 1.08 chains, South 92° 2.11 chairs, North 58° West 2.19 chairs, North 23° West 3.12 chairs	e, ti
South 60°15' West 3.75 ch 96 chains, South 85° West t 4.27 chains, North 72° E 1° West 3.04 chains, North North 16° West 2 L8 chain	2000 west 2 chains, North 87-3/40 west 50 ains, South 670 west 1.08 chains, South 92 2.11 chains, North 580 West 2.19 chains, North 230 West 3.10 chains, 16-3/40 West 2.73 chains, North 150 west 3.	ti.
South 60°15' West 3.75 ch 96 chains, South 85° West t 4.27 chains, North 72° E 1° West 3.04 chains, North North 16° East 2.48 chains	2000 west 2 chains, North 87-3/10 west 50 mains, South 670 west 1.08 chains, South 92 2.11 chains, North 580 west 2.19 chains, North 230 west 3.10 chains, North 160-3/10 west 2.73 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains: North 33-3/10 East 6.35 chains: North	ti.
South 60°15' Mest 3.75 ch 96 chains, South 85° Mest t 4.27 chains, North 72° E 1° Mest 3.04 chains, North North 16 East 2.48 chain st 3.71 chains to the cent	20% west 2 chairs, North 27-3/40 west sains, South 670 est 1.08 chains, South 92 2.11 chains, North 580 west 2.19 chains, North 230 west 3.10 chains, North 230 west 3.10 chains, 10-3/40 west 2.73 chains, North 150 west 3.10 chains, North 33-3/40 East 6.35 chains; Chance we of a county road; thence louth 270 151 west 3.10	ti.
South 60°15' Mest 3.75 ch 96 chains, South 85° Mest t 4.27 chains, North 72° E 1° Mest 3.04 chains, North North 16 East 2.48 chain st 3.71 chains to the cent	20% west 2 chairs, North 27-3/40 west sains, South 670 est 1.08 chains, South 92 2.11 chains, North 580 west 2.19 chains, North 230 west 3.10 chains, North 230 west 3.10 chains, 10-3/40 west 2.73 chains, North 150 west 3.10 chains, North 33-3/40 East 6.35 chains; Chance we of a county road; thence louth 270 151 west 3.10	ti.
One East 2.65 chains North South 60°15' West 3.75 ch 96 chains, South 85° West t 4.27 chains, North 72° E 1° West 3.04 chains, North Morth 16° East 2.48 chains st 3.71 chains to the cent	2000 west 2 chains, North 87-3/40 west 50 ains, South 670 west 1.08 chains, South 92 2.11 chains, North 580 West 2.19 chains, North 230 West 3.10 chains, 16-3/40 West 2.73 chains, North 150 west 3.	ti.
South 60°15 West 3.75 ch 96 chains, South 85° West t 4.27 chains, North 75° E 1° West 3.04 chains, North North 16 East 2.48 chain st 3.71 chains to the cent he enter of said road 35° cres, more or less, situation	20% west 2 chairs, North 27-3/40 west sains, South 670 est 1.08 chains, South 92 2.11 chains, North 580 west 2.19 chains, North 230 west 3.10 chains, North 230 west 3.10 chains, 10-3/40 west 2.73 chains, North 150 west 3.10 chains, North 33-3/40 East 6.35 chains; Chance we of a county road; thence louth 270 151 west 3.10	th. 69 orth ort nin
Oho East 2.65 chains North South 60°15 West 3.75 ch 96 chains, South 85° West th.27 chains, North 72° E 1° West 3.04 chains, North North 16° East 2.48 chains to the centure enter of said road 35. Eres, more or lest, situations.	1 20% west 2 chains, North 27-3/10 west stains, South 670 est 1.08 chains, South 92 2.11 chains, North 580 West 2.19 chains, North 230 West 3.10 chains, North 16-3/10 West 2.73 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains; Morch 33-3/10 East 6.35 chains; Morch 270 151 West 64 chains to the place of local int, contain ed in Jinn County, Oregon.	th. 69 orth ort nin
Oho East 2.65 chains North South 60°15 West 3.75 ch 96 chains, South 85° West th.27 chains, North 72° E 1° West 3.04 chains, North North 16° East 2.48 chain st 3.71 chains to the cent of said road 35° eres, more or lest, situations.	1 20% west 2 chains, North 87-3/10 west sains, South 670 est 1.08 chains, South 92% 2.11 chains, North 580 West 2.19 chains, North 230 West 3.10 chains, North 230 West 3.10 chains, 16C-3/10 West 2.73 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains; Chence West of a county read; There lower 270 15 West chains to the place of lower into contain ed in Tinn County, Oregon.	th. 69 orth ort nin
Oho East 2.65 chains North South 60°15 West 3.75 ch 96 chains, South 85° West th.27 chains, North 73° E 1° West 3.04 chains, North North 16° East 2.48 chains to the cent at an enter of said road 35° eres, more or less, situat	1 20% west 2 chains, North 87-3/10 west stains, South 670 est 1.08 chains, South 92 2.11 chains, North 580 west 2.19 chains, North 230 west 3.10 chains, North 150 west 3.10 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains; Chence were of a county road; Thence County 270 15 we at the chains to the place of County, County, Cregon.	th. 69 orth ort nin
Oho East 2.65 chains North South 60°15 West 3.75 ch 96 chains, South 85° West th.27 chains, North 72° E 1° West 3.04 chains, North North 16° East 2.48 chains at 3.71 chains to the centure enter of said road 35° eres, more or les, situat	1 20% west 2 chains, North 87-3/10 west stains, South 670 est 1.08 chains, South 92 2.11 chains, North 580 west 2.19 chains, North 230 west 3.10 chains, Lo-3/10 west 2.73 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains; North 33-3/10 East 6.35 chains; North 270 151 We of a county road; theree looks 270 151 We at the chains to the place of looks in the contain ed in Jinn County, Oregon.	th. 69 orth ort nin
Oho East 2.65 chains North South 60°15 West 3.75 ch 96 chains, South 85° West th.27 chains, North 75° East 3.04 chains, North North 16° East 2.48 chains to the central enter of said road 35° eres, more or lest, situat	1 20% west 2 chairs, North 87-3/10 west stains, South 670 est 1.08 chains, South 92 2.11 chairs, North 580 west 2.19 chairs, North 230 west 3.10 chairs, Lord 1.00 chairs, North 230 west 3.10 chairs, Lord 1.0-3/10 west 2.73 chairs, North 150 west 3.10 chairs, North 33-3/10 East 6.35 chairs; Chence West of a county read; theree louth 270 151 west 4 chairs to the place of losts in , contain ed in Minn County, Oregon.	th. 69 orth ort nin
Oho East 2.65 chains North South 60°15 West 3.75 ch 96 chains, South 85° West th.27 chains, North 72° E 1° West 3.04 chains, North North 16° East 2.48 chains at 3.71 chains to the centure enter of said road 35° eres, more or les, situat	1 20% west 2 chairs, North 87-3/10 west stains, South 670 est 1.08 chains, South 92 2.11 chairs, North 580 west 2.19 chairs, North 230 west 3.10 chairs, Lord 1.00 chairs, North 230 west 3.10 chairs, Lord 1.0-3/10 west 2.73 chairs, North 150 west 3.10 chairs, North 33-3/10 East 6.35 chairs; Chence West of a county read; theree louth 270 151 west 4 chairs to the place of losts in , contain ed in Minn County, Oregon.	th. 69 orth ort nin
Ogo East 2.65 chains North South 60°15' West 3.75 ch 96 chains, South 85° West th.27 chains, North 72° E 1° West 3.04 chains, North North 16° East 2.48 chains at 3.71 chains to the cent is enter of said road 35. Eres, more or lest, situations.	1 20% west 2 chairs, North 87-3/10 west stains, South 670 est 1.08 chains, South 92 2.11 chairs, North 580 west 2.19 chairs, North 230 west 3.10 chairs, Lord 1.00 chairs, North 230 west 3.10 chairs, Lord 1.0-3/10 west 2.73 chairs, North 150 west 3.10 chairs, North 33-3/10 East 6.35 chairs; Chence West of a county read; theree louth 270 151 west 4 chairs to the place of losts in , contain ed in Minn County, Oregon.	th. 69 orth ort nin
Ogo East 2.65 chains North South 60°15' West 3.75 ch 96 chains, South 85° West th.27 chains, North 72° E 1° Lest 3.04 chains, North Morth 16° East 2.48 chains to the cent st 3.71 chains to the cent is enter of said road 35. Pres, more or lest, situation	n 20% west 2 chains, North 27-3/10 west sains, South 670 est 1.08 chains, South 92% 2.11 chains, North 580 West 2.19 chains, North 230 West 3.10 chains, North 150 west 3.10 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains; North 33-3/10 East 6.35 chains; North 270 150 West of a county road; thence louth 270 150 West 4 chains to the place of locin into, contain ed in Jinn County, Oregon.	th. 69 orth ort nin
Ogo East 2.65 chains North South 60°15 West 3.75 chains, South 85° West th.27 chains, North 73° East 3.04 chains, North North 16 East 2.48 chains to the cent enter of said road 35° cres, more or lest, situat	n 20% west 2 chains, North 27-3/10 west sains, South 670 est 1.08 chains, South 92% 2.11 chains, North 580 West 2.19 chains, North 230 West 3.10 chains, North 150 west 3.10 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains; North 33-3/10 East 6.35 chains; North 270 150 West of a county road; thence louth 270 150 West 4 chains to the place of locin into, contain ed in Jinn County, Oregon.	th. 69 orth ort nin
Ogo East 2.65 chains North South 60°15' West 3.75 chains, South 85° West th.27 chains, North 72° East 3.04 chains, North North 16° East 2.48 chains to the cent enter of said road 35. Eres, more or lest, situations.	n 20% west 2 chains, North 27-3/10 west sains, South 670 est 1.08 chains, South 92% 2.11 chains, North 580 West 2.19 chains, North 230 West 3.10 chains, North 150 west 3.10 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains; North 33-3/10 East 6.35 chains; North 270 150 West of a county road; thence louth 270 150 West 4 chains to the place of locin into, contain ed in Jinn County, Oregon.	th. 69 orth ort nin
Ogo East 2.65 chains North South 60°15' West 3.75 chains, South 85° West th.27 chains, North 72° East 3.04 chains, North North 16° East 2.48 chains to the cent enter of said road 35. Eres, more or lest, situated as a county of Marion, State of the content of the cent	n 20% west 2 chairs, North 87-3/40 west sains, South 670 est 1.08 chains, South 92 2.11 chairs, North 580 west 2.19 chairs, North 230 West 3.10 chairs, bet h.40 chairs, North 230 West 3.10 chairs, be-3/10 West 2.73 chairs, North 150 west 3.10 chairs, North 33-3/10 East 6.35 chairs; Chence West of a county read; theree looks 270 15 West 4 chairs to the place of Looks into, contained in Line County, Oregon.	the sectors and sectors are sectors and sectors are sectors and sectors are sectors and sectors are sectors are sectors and sectors are se
Oho East 2.05 chains North South 60°15! West 3.75 chains, South 85° West th.27 chains, North 72° East 3.04 chains, North North 16° East 2.48 chains to the centre enter of said road 35° cres, more or lest, situated as a county of Marion, This is to certify that I have	n 20% west 2 chains, North 27-3/10 west sains, South 670 est 1.08 chains, South 92% 2.11 chains, North 580 West 2.19 chains, North 230 West 3.10 chains, North 150 west 3.10 chains, North 150 west 3.10 chains, North 33-3/10 East 6.35 chains; North 33-3/10 East 6.35 chains; North 270 150 West of a county road; thence louth 270 150 West 4 chains to the place of locin into, contain ed in Jinn County, Oregon.	the soft accomp

.

20780

PERMIT

STATE OF OREGON, County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the emount of water which can be applied to beneficial
and shall no exceed 0.331 cubic feet per second measured at the point of diversion from
stream, or its equivalent in case of rotation with other water users, from Calapooia River
The sec to subjet this section is a section of the
The use to which this water is to be applied is irrigation
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to
diversion of not to exceed 23 acre feet per acre for each acre irrigated during
the irrigation season of each year,
· · ·
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is September 28, 1951
Actual construction work shall begin on or before karch 34, 19:3 and sh
hereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1954
Complete application of the water to the proposed use shall be made on or before
Cctober 1, 1955
WITNESS my hand this 31st day of March 19 52.
Charle Shirles
Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws
The state of the s
·

This instrument was first received in the office of the State Engineer at Salem, Oregon, September, STATE ENGINEER TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON District No. Application No. 26513 20733 1951, at a o'clock A. M. Corrected application received: PERMIT Recorded in book No. Permit No. on the 28th day of Returned to applicant: Division No. Permits on page Approved:

Drainage Basin No. 🗢

Fees Paid