

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Anton J Paulson of Route 2, Box 222, McMinnville State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Berry Creek trib. of Baker Creek, a tributary of N. Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 50 ft. S and 1460 ft. E from the corner of between Sections 11 and 12; T. 4 S., R. 5. W.

being within the NE 1/4 of the SW 1/4 of Sec. 12, Tp. 4 S., R. 5 W., in the county of Yamhill

5. The line to be in length, terminating in the of Sec. , Tp. , R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1 1/2" Cent. pump 7 1/2 HP motor 16 BR 9pm SPRINKLERS

If electrical energy is made available, a motor will be installed. If not it will be necessary to use the gas engine to operate the pump. Details as to size of either have not been determined.

Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Handwritten signature: A. J. Paulson

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ~~94'~~ ^{778'} ft.; size at intake, 4" in.; size at 1.20 ft. from intake 4" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 2.5' ft. Is grade uniform? Yes Estimated capacity, 3.34 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	5W	12	NE ¹ of the SW ¹	15
4S	5W	12	NW ¹ of the SW ¹	1 $\frac{1}{2}$
4S	5W	12	SE ¹ of the NW ¹	3
4S	5W	12	SW ¹ of the NW ¹	$\frac{1}{2}$
Total to be irrigated				20

Begin on N ln Chas. Berry Clm. in T 4S; R 5W. 923.5 ft S 89° 35' W of NE cor Clm. S 18' W 3119.5 ft to S. ln Clm. S 88° 50' W 106.9 ft; S 23' E 1517.1 ft to center Baker Creek Rd. N 89° W 1069.6 ft; N 31' E 476.8 ft to S ln Clm. N 88° 50' E 316.8' N 44' W 3130.2 ft to N ln Clm. N 89° 35' E 892.5 ft.

Ex sold 101-289	Con 98.24 Acres
Ex sold 105-255	Leaving 96.24 "
Ex sold 121-540	Leaving 96.147 "
	Leaving 50.84 Acres

(If more space required, attach separate sheet)

(a) Character of soil Wapato Silty Clay, Willamette Silty Loam

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized (feet) feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Let subdivision) of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Proposed or Domestic Supply

(a) To supply the city of _____ County, having a present population of _____ and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1600⁰⁰
- 12. Construction work will begin on or before May 1952
- 13. Construction work will be completed on or before May 1953
- 14. The water will be completely applied to the proposed use on or before 1955

Anton J. Paulson
(Signature of applicant)

Remarks:

I have not as yet purchased the sprinkler system, and therefore cannot submit definite knowledge herein as to the size and number of sprinkler heads.

A. J. P.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Berry Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60th of one cubic foot per second or its equivalent for each acre irrigated and shall be further to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 28, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 31st day of March 1953

Charles Stickler STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26516
Permit No. 20783

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 29th day of September

1951, at 8 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

Recorded in book No. 20783 of

Permits on page

STATE ENGINEER

Drainage Basin No. 2 Page 903

Fees Paid \$