

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lenthal L. & Helen E. Bennett of Crownson Road Ashland Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed gulch a trib. of Tolman Craek, a tributary of Neal Creek

2. The amount of water which the applicant intends to apply to beneficial use is .06 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 1042 ft. N. and 913 ft. E. from the SW corner of Section 13

being within the SW 1/4 SW 1/4 of Sec. 13, Tp. 32 S., R. 1 E., W. M., in the county of Jackson

5. The pipe line to be 2200' in length, terminating in the SW 1/4 SW 1/4 of Sec. 13, Tp. 32 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam 2 feet, length on top 16 feet, length at bottom 12 feet; material to be used and character of construction concrete

(b) Description of headgate none

(c) If water is to be pumped give general description 2" centrifugal pump 2 H. P. electric motor... 20 feet total lift.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 2" in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLABETTE MICHIGAN				
39 S.	1 E.	13	NW 1/4 SW 1/4	2 acres
39 S.	1 E.	13	SW 1/4 SW 1/4	3 acres -- supplemental see remarks

(If more space required, attach separate sheet)

(a) Character of soil sandy loam.
 (b) Kind of crops raised general farm produce.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00.....
- 12. Construction work will begin on or before 1 year from date of priority.....
- 13. Construction work will be completed on or before 4 years from date of priority.....
- 14. The water will be completely applied to the proposed use on or before 3 years from date of priority.....

Luther L. Bennett
(Signature of applicant)
Helen E. Bennett

Remarks: Water will be pumped through 200 feet of 2" pipe to small feeder ditches. The 3 acres lying in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 13, Township 39 South, Range 1 East, W.M. is supplemental to the Rogue River Decree, Page 11, Col. 1 in the name of Pearl Gray.

Description: As copied from Title Insurance.
Beginning at a point on the County Road, which point bears East, 13.01 chains and South 8.04 chains from the Northwest corner of Donation Land Claim #54, Township 39 South, Range 1 East of the Willamette Meridian, Jackson County, Oregon; thence East, 0.14 chains, (9.24 feet); thence South 59 deg. 15' East, 6.0 chains (396 feet); thence South 35 deg. 15' West, 3.28 chains (216.48 feet); thence South 34 deg. 10' East, 140.40 feet; thence South 55 deg. 15' West, 322.06 feet; thence North 31 deg. 37' West, 557.22 feet to a point in the center of said County Road, which point is North 51 deg. 00' East, 99.33 feet from a point which bears 12.15 chains South and 7.91 chains East of the Northwest corner of said Donation land claim; thence North 1 deg. 10' East, 332.46 feet to the point of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON,

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed gulch.

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be still further limited to a diversion of not to exceed 0.06 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 1, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 31st day of March 1952.

Charles E. Shickler

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.

Application No. 26530

Permit No. 20792

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of October 1951 at 8 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

Recorded in book No. 20792 of

Permits on page

STATE ENGINEER

Drainage Basin No. 15 Page 27A

Fees Paid \$10.00