

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, W. J. Kalach,
(Name of applicant)
of Route #2, Cornelius, Oregon,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Creek and reservoir
(Name of stream)
, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.375
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of
(Section or subdivision)

N71°30'E 1360 feet from the Northwest corner of the
Francis DeWitt D.L.C. No. 57 in T1S, R3W, W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 13, Tp. 1S
(Give smallest legal subdivision) (N. or S.)

R. 3W, W. M., in the county of Washington
(E. or W.)

5. The pipeline to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NE 1/4 of Sec. 13, Tp. 1S
(Smallest legal subdivision) (N. or S.)

R. 3W W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9' feet, length on top 250' feet, length at bottom
143' feet; material to be used and character of construction earth fill
(Loose rock, concrete masonry,
spillway around dam
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Armco Model 101 headgate, 12"
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 20 h.p. 3 phase
(Size and type of pump)
3.5, 8 gal per min sprinklers
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Application for Domestic Supply

To supply the city of _____

County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ Dam 3000, Irrigation system 4000.
- 12. Construction work will begin on or before Aug 1, 1951
- 13. Construction work will be completed on or before Sept 30, 51
- 14. The water will be completely applied to the proposed use on or before Spring of 1952

J. J. Kalva
(Signature of applicant)

Remarks: Property Description: Vol. 161, page 244, Washington County, Oregon, Deed Records: Commencing at the northeast corner of Section 13, T18, R3W, W.M., and running thence South 60 chains; thence West 45 chains more or less to the east line of the Francis DeWitt D.L.C. #57 in T18, R3W, W.M.; thence North 60 chains; thence East to the place of beginning, containing 272 acres more or less.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek and reservoir to be constructed under Application No. R-26586, Permit No. R- 1273

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R- 1273

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 24, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 19 53

Charles E. Stuckey STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26587

Permit No. 20627

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of October 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

Recorded in book No. of

Permits on page 20827

STATE ENGINEER

Drainage Basin No. Page 677

Fees Paid