

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Elmer L. Hedges of 2630 S.W. Taylors Ferry Road Portland 19 Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is TRYON Creek, fed by springs tributary of ...

2. The amount of water which the applicant intends to apply to beneficial use is ... cubic feet per second. Dont know, small amount at the most.

**3. The use to which the water is to be applied is Irrigate lawns

4. The point of diversion is located 1210 Ft. N and 456 Ft. W from the SW corner of the E. side of sec. 29 T15-R1E-W1M

Handwritten note: (Location where sec. 29 cuts the W. of T15-R1E-W1M of map lot 634 of sec. 29)

being within the Tract of land SE 1/4 of NE 1/4 of Sec. 29, Tp. 1 S., R. 1 W. M., in the county of Multnomah

5. The Hose or Pipe to be Not to exceed 150ft in length, terminating in the Tract above of Sec 29, Tp 1 S., R. 1 W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 3 1/2 feet, length at bottom 3 feet; material to be used and character of construction Concrete

(b) Description of headgate 3 by 12 wood with spillway over top

(c) If water is to be pumped give general description Small electric motor

Pump large enough to operate 1 sprinkler

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
15	1E	29	1/4 SE 1/4 of NE 1/4	0.30 Ac.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

18. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- ✓ 11. Estimated cost of proposed works, \$ 100.....
- ✓ 12. Construction work will begin on or before Spring 1911.....
- ✓ 13. Construction work will be completed on or before Summer 1911.....
- ✓ 14. The water will be completely applied to the proposed use on or before

[Handwritten Signature]
(Signature of applicant)

Remarks: Full legal description of my place

A tract of land in the N.E. quarter of Sec. 29, T 1, S. R 1

E. of W.M. Described as follows; Beginning at an iron pipe in the Southerly line of SW. Taylors Ferry rd. 90' westerly from its intersection with the westerly line of SW. 26 Ave. extended southerly, said iron pipe being 1310.68' N and 410.95' W. of the $\frac{1}{4}$ Sec. cor. on the east side of Sec. 29 running thence S. 89 degrees 56 $\frac{1}{2}$ ' W. along the southerly line of SW. Taylors Ferry Road, 90' to an iron pipe; thence S. 0 $^{\circ}$ 14' East 165' to an iron pipe; thence N 89 $^{\circ}$ 56 $\frac{1}{2}$ ' East 90' to an iron pipe; thence North 0 $^{\circ}$ 14' West 165 feet to place of beginning, in the Co. of Multnomah and State of Oregon.

I only want the privelege to use some water from this stream for irrigating my lawn. I have my dam in now. But have opened gates for the winter. Dont as yet have motor and pump. The stream in question runs thru my place. Runs a good stream all summer, even as dry as it was this summer. This creek in question runs into much larger creek about 150' below my place. There is no one within that distance effected by what I am permitted to use.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.004 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tryon Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 1, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1952

Charles E. Steinhilber
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26000

Permit No.

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1 day of November 1951, at 8:22 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

Recorded in book No. of

Permits on page 20839

STATE ENGINEER

Drainage Basin No. 2 Page 70A

Fees Paid