



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Lawrence O. Gorman and Erlena Gorman, husband and wife

(Name of applicant)

of Route 3, Lebanon

(Mailing address)

State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Beaver Creek

(Name of stream)

a tributary of Crabtree Creek

2. The amount of water which the applicant intends to apply to beneficial use is 3.16

cubic feet per second. Pumping Point #1 - 1.62 pumping point #2 - 1.54

(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the

(N. or S.)

(E. or W.)

corner of pumping point #1 - 21 chains S. 11° 50' E from the NW corner of the NE 1/4 of

(Section or subdivision)

Section 7, T. 11 S., R 1 W. Pumping Point #2 - 33 chains S. 26° 30' E. from the NW

corner of the NE 1/4 of Section 7, T. 11 S, R. 1. W. (Reference monument set 9.73 chains south of NW corner of the NE 1/4 of Section 7, T. 11 S, R 1 W.)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 7, Tp. 11 S

(Give smallest legal subdivision)

(N. or S.)

R. 1 W, W. M., in the county of Linn

(E. or W.)

5. The pipe line to be #1 - 4620' #2 - 4620'

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SE 1/4 SW 1/4 of Sec. #1 - 5

(Smallest legal subdivision)

of Sec. #2 - 8

(N. or S.)

R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Two 4" centrifugal pumps powered by

(Size and type of pump)

two 30 H.P. electric motors - 37' lift

(Size and type of engine or motor to be used, total head water to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1620 ft.; size at intake, 8 in.; size at 2310 ft. from intake 6 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 37 ft. Is grade uniform? yes Estimated capacity, 3.16 sec. ft.

8. Location of area to be irrigated, or place of use (see below)

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 N	1 W	7	NE $\frac{1}{4}$ NE $\frac{1}{4}$	25.0
11 S	1 W	7	NW $\frac{1}{4}$ NE $\frac{1}{4}$	20.0
11 S	1 W	7	SW $\frac{1}{4}$ NE $\frac{1}{4}$	22.3
11 S	1 W	7	SE $\frac{1}{4}$ NE $\frac{1}{4}$	10.0
11 S	1 W	7	NE $\frac{1}{4}$ SE $\frac{1}{4}$	25.0
11 S	1 W	5	SW $\frac{1}{4}$ SW $\frac{1}{4}$	5.8
11 S	1 W	5	SE $\frac{1}{4}$ SW $\frac{1}{4}$	9.6
11 S	1 W	8	NE $\frac{1}{4}$ NW $\frac{1}{4}$	18.0
11 S	1 W	8	NW $\frac{1}{4}$ NW $\frac{1}{4}$	38.5
11 S	1 W	8	SW $\frac{1}{4}$ NW $\frac{1}{4}$	36.5
11 S	1 W	8	SE $\frac{1}{4}$ NW $\frac{1}{4}$	10.0
11 S	1 W	8	NW $\frac{1}{4}$ SW $\frac{1}{4}$	2.0
				252.7

(If more space required, attach separate sheet)

(a) Character of soil Mapato and Holcomb

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Beginning at an iron pipe which is S. 85 degrees 45' W. 4.76 chains distant from the S.E. corner of the D.L.C. of James Elliott, same being Not. No. 615 and Claim No. 40, in Tp. 11 S., Range 1 W. of the Will. Merd., Oregon; thence S. parallel with E. line of Sec. 7 in said Tp. and Range, 41.66 chains to an iron pipe in the N. line of the D.L.C. of W.M. Prine, same being Not. No. 1162 and Claim No. 43 in said Tp. and Range; thence S. 63 degrees W. 4.34 chains to the N.W. corner of said Claim No. 43, thence S. 7.56 chains to the S.E. corner of Lot 11 in Sec. 7 in said Tp. and Range; thence W. 5.87 chains to the S.W. corner of said Lot 11; thence N. 29.00 chains to the N.W. corner of said Lot 11; thence W. 2.46 chains to the E. line of the D.L.C. of B.W. Hamilton, being Claim No. 42; thence W. along the E. line of said Claim, 17.54 chains to the W. line of the N.E. quarter of Sec. 7; thence N. 21.00 chains to the S. line of the D.L.C. of T.T. Thomas, being Claim No. 41 in said Tp. and range; thence E. 19.48 chains to the S.E. corner of said Claim No. 41; thence N. 85 degrees 45' E. 10.52 chains to the place of beginning, containing 90 acres, more or less, all lying in Linn County, State of Oregon. ALSO:

Beginning at the S.W. corner of the D.L.C. of James Elliott, same being Not. No. 615, and Claim No. 40, in Tp. 11 S., Range 1 W. of the Will. Merd., Oregon; thence N. 58 degrees 30' E. 6.10 chains to the line between Sections 7 and 8 in said Tp. and Range; thence S. along said Section line 39.93 chains to an iron pipe in the N. boundary line of the D.L.C. of W. M. Prine, being Not. No. 1162 and Claim No. 43 in said Tp. and Range; thence S. 63 degrees W. along the N. Line of said Claim 11.49 chains to an iron pipe; thence N. parallel with E. Line of Sec. 8 in said Tp. and Range 41.66 chains to an iron pipe; thence N. 85 degrees 45' E. 4.76 chains to the place of beginning, containing 40 acres, more or less, all lying in Linn County, State of Oregon. ALSO:

Beginning at an iron pipe on the S. line of and N. 58 degrees 30' E. 6.10 chains distant from the S.E. corner of the D.L.C. of James Elliott, same being Not. No. 615 and Claim No. 40 in Tp. 11 S., Range 1 W. of the Will. Merd., Oregon, said beginning point is also at the intersection of the Section line between Sections 7 and 8 in said Tp. and Range and the S. line of said Claim No. 40; thence S. along the said Section line 39.93 chains to an iron pipe in the N. line of the D.L.C. of W. M. Prine, being Not. No. 1162 and Claim No. 43 in said Tp. and Range; thence N. 63 degrees E. along the N. line of said Claim 11.08 chains to an iron pipe; thence N. parallel with W. line of said Section 8 in said Tp. and Range 41.00 chains to an iron pipe in the S. line of said Claim No. 40; and thence S. 58 degrees 30' W. 11.58 chains to the place of beginning, containing 40 acres, more or less, all lying in Linn County, State of Oregon. ALSO:

Beginning at an iron pipe on the S. line of and N. 58 degrees 30' E. 17.58 chains distant from the S.W. corner of James Elliott D.L.C., being Not. No. 615 and Claim No. 40 in Tp. 11 S., Range 1 W. of the Will. Merd., Oregon; thence S. parallel with W. line of Sec. 8 in said Tp. and Range 41.0 chains to an iron pipe in the N. line of W. M. Prine's D.L.C. being Not. No. 1162 and Claim No. 43 in Tp. and Range; thence N. 63 degrees E. along the N. line of said Claim 10.82 chains to an iron pipe; thence N. parallel with W. line of said Sec. 42.00 chains to an iron pipe in the S. line of said Claim No. 40; thence S. 58 degrees 30' W. 11.31 chains to the place of beginning, containing 40 acres, more or less, all lying in Linn County, State of Oregon. ALSO:

Beginning at an iron pipe on the S. line of and N. 58 degrees 30' E. 28.29 chains distant from the S.W. corner of the D.L.C. of James Elliott, same being Not. No. 615 and Claim No. 40 in Tp. 11 S., R. 1 W. of the W.M., Oregon; thence S. parallel with W. line of Sec. 8 in said Tp. and R. 42 chains to an iron pipe in the N. boundary line of W.M. Prine's D.L.C. being Claim No. 43 in said Tp. and R.; thence N. 63 degrees E. along the N. line of said Claim 11.61 chains to the S.W. corner of T. J. Richardson's D.L.C. in said Tp. and R.; thence N. no degrees 30' E. 43.14 chains to the N.W. corner of said T.J. Richardson's D.L.C.; thence S. 58 degrees 30' W. 12.28 chains to the place of beginning, containing 44.28 acres more or less, lying in Linn County, State of Oregon.

The West one-half of the following described premises; Beginning at a point 10 chains North of the Southwest corner of Section 4, in Township Eleven, South of Range One West of the Willamette Meridian, in Linn County, Oregon, and running thence South 78.01 chains; thence North 38 degrees Twenty-five minutes West 58.08 chains; thence South Sixty-two degrees, Thirty minutes West 15.20 chains; thence North 41.20 chains; thence North 48 degrees twenty minutes West 36.20 chains; thence South 19.16 chains; thence East 18.15 chains; thence South 2.18 chains to the place of beginning.

Excepting the South 53 acres of the above described premises. Also, also, a right-of-way heretofore conveyed to Linn County, Oregon for a highway of 400 feet.

County, having a present population of .....  
in 19.....

(Answer columns H, M, N, and O in all cases)

- 11. Estimated cost of proposed works, \$ 12,000.00
- 12. Construction work will begin on or before August 15, 1952
- 13. Construction work will be completed on or before August 15, 1955
- 14. The water will be completely applied to the proposed use on or before August 15, 1957

*Lawrence D. Gorman and Edwina Gorman*  
(Signature of applicant)

*by L. C. Gorman*

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... 19 .....

WITNESS my hand this ..... day of ..... 19 .....

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.152 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Beaver Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 2, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 31st day of March 19 52

Charles E. Shickler STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.

Application No. 26610

Permit No. 233

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of November 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

Recorded in book No. 21841 of Permits on page

STATE ENGINEER

Drainage Basin No. 2 Page 44A

Fees Paid A 3.15