

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, ALICE LAIRD (Name of applicant) of 804 2ND ST. NORTH - LAKEVIEW (Mailing address) State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is HART LAKE (Name of stream) NATURAL STORAGE, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 7.0 (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is IRRIGATION (Supplemental) (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located DUMP ft. and ft. from the corner of (Section or subdivision)

N 46° 59' E 3462.07' From SW Cor. Sec. 14 T 36 S R 24 E W M (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lots (NE-SW) of Sec. 14, Tp. 36 S R. 24 E, W. M., in the county of LAKE

5. The MAIN DITCH to be 1.25 MILES in length, terminating in the NE SE of Sec. 11, Tp. 36 S R. 24 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 2 - Timber and Concrete - 1 opening - Ditch size (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 16" LIFT TYPE D-4 Caterpillar 5' LIFT (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2.0 ~~12~~ feet; width on bottom 1.2 feet; depth of water 1.5 feet; grade 0.10 feet fall per one thousand feet.

(b) At 0.25 <sup>1/4</sup> miles from headgate: width on top (at water line) 8 feet; width on bottom 4 feet; depth of water 2 feet; grade 0.10 feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range WILLAMETTE MERIDIAN	Section	Forty-acre Tract	Number Acres To Be Irrigated
36	24	11	NE SE	40 ✓
			SE SE	40 ✓
"		12	NW SW	40 ✓
		"	SW SW	40 ✓
"	"	13	NW NW	37.56 ✓
			SW NW	32.68 ✓
			NW SW Lot 6	11.0 ✓
	"	14	NE NE	40.0 ✓
				281.24

(If more space required, attach separate sheet)

(a) Character of soil LOAM

(b) Kind of crops raised Hay & Grain

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2,500.00
- 12. Construction work will begin on or before Completed
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before Completed

*x Alice Laird*  
(Signature of applicant)  
*By Warren A Laird*

Remarks: This is for a supplementary right to apply  
water by pumping - below the over flow level <sup>of Hart Lake</sup> to cover  
land that has water right by Court adjudication of  
Sept 1929.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 7.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mart Lake

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each year irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be still further limited to a diversion of not to exceed 7.0 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 12, 1954

Actual construction work shall begin on or before March 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before

October 1, 1955

WITNESS my hand this 1st day of March 1954

Chas. E. Stercklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.

Application No. 25571

Permit No. 20853

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of January 1954, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

MAP 31, 1954

Recorded in book No. 20853 of

Permits on page

CHAS. E. STERCKLIN
STATE ENGINEER

Drainage Basin No. 13 Page 17

Fees Paid \$ 34.56