

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Con Lynch (Name of applicant)
of Lakeview, Oregon, Mr. Forrest D. Cooper, atty. Box 159, Lakeview, Oregon (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Hart Lake, North Warner Valley, (Name of stream)
a tributary of Warner Lakes and steers

2. The amount of water which the applicant intends to apply to beneficial use is 125
cubic feet per second. from Hart Lake only.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. (N. or S.) and ft. (E. or W.) from the corner of see attached sheet, relative to point 1, 2 (Section or subdivision)

3.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the see attached sheet with 4 above. of Sec., Tp. 36 S (N. or S.)

R. 24 E, W. M., in the county of Lake (E. or W.)

5. The Rivan South and ditch (Main ditch, canal or pipe line) to be 1 mile (Miles or feet)
in length, terminating in the SW (Smallest legal subdivision) of Sec. 25, Tp. 36 S (N. or S.)

R. E. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete, built in 1910 (Timber, concrete, etc., number and size of openings)
of State number, Bridge over Hart Lake

(c) If water is to be pumped give general description disc A pump (Size and type of pump)
electric pump can later be installed. No limit on head or capacity
(Size and type of engine or motor to be used, total head water to be lifted, etc.)
depending on depth of lake.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity; ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 2 contains the text 'See attached sheet for legal description. The land to be irrigated is...'.

(If more space required, attach separate sheet)

(a) Character of soil ... sandy loam and peat.

(b) Kind of crops raised ... hay meadows, ...

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. (Legal subdivision)

Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ... (Yes or No)

(g) If so, name stream and locate point of return

... Sec. ... Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Answer to question No. 4.

point of diversion No. 1, Mouth of Givan Slough, through a gate or point of diversion through bridge constructed at that point at an elevation fixed by State Engineer at time of reconstruction of Hart Lake Bar by County Court of Lake County, in year 1940.

Location of point of diversion is:

north 20 degrees, 03 minutes east, 1376.40 feet from southeast corner of section 15, township 36 south, range 24, E. W. M. Lake County.

Point of diversion No 2. mouth of Barry Slough, through a gate or point of diversion through bride constructed at that point at an elevation fixed by State Engineer at time of reconstruction of Hart Lake Bar by County Court of Lake County, in year 1940.

North 41 degrees, 53 minutes east, 3099.56 feet from southeast corner of section 15, township 36 south, range 24, E. W. M.

Point of diversion No. 3. mouth of a certain slough bridged and headrated by County Court of Lake County in year 1940, in manner and at an elevation fixed by State Engineer at time of reconstruction of Hart Lake Bar. Location of point of diversion is:

North 77 degrees, 18 minutes east, 6745.10 feet from the southeast corner of section 15, township 36 south, range 24, E. W. M. Lake County.

Sec. 10, township 36 south, range 24, E. W. M. Lake County.

- ✓ 150 acres in southeast quarter.
- ✓ 10 acres in southwest quarter of northeast quarter.
- ✓ 40 acres in southeast quarter of northeast quarter.
- ✓ 30 acres in northeast quarter of northeast quarter.

Section 11;

- ✓ 320.0 acres in north half.

Section 12: *East 1/2 of*

- ✓ 80 acres in northwest quarter
- ✓ 36.05 in lot 1
- ✓ 34.75 in lot 2
- ✓ 34.75 in lot 3
- ✓ 34.15 in lot 4

Section 13

- ✓ 34 acres in lot 1
- ✓ 34 in lot 4
- ✓ 14 in lot 5

Section 14

- ✓ 32.74 acres in lot 1.
- ✓ 36.65 in lot 2.
- ✓ 32.27 in lot 3.
- ✓ 35.35 in lot 4.
- ✓ 35.22 in lot 5.
- ✓ 40 acres in ~~SW 1/4~~ *SE 1/4 NW 1/4*
- ✓ 40 acres in ~~East half of South half~~ *East SW 1/4*

Section 2:

- ✓ 36.35 acres in northeast quarter of northeast quarter.
- ✓ 20 acres in northwest quarter of northeast quarter.
- ✓ 30 acres in southwest quarter of northeast quarter.
- ✓ 40 acres in southeast quarter of northeast quarter.
- ✓ 150 acres in southeast quarter.
- ✓ 30 acres in southwest quarter of southwest quarter.
- ✓ 40 acres in southeast quarter of southwest quarter.
- ✓ 30 acres in northeast quarter of southwest quarter.

Township 36 south, range 25, E. W. M. Lake County:

Section 6:

- 38 acres in northwest quarter of northwest quarter.
- 34 acres in northeast quarter of northwest quarter.
- 40.1 acres in southwest quarter of northwest quarter.
- 40 acres in southeast quarter of northwest quarter.
- 23 acres in northwest quarter northeast quarter.
- 20 acres in southwest quarter of northeast quarter.
- 40.18 acres in northwest quarter southwest quarter.
- 35 acres in northeast quarter of southwest quarter.
- 40.26 acres in southwest quarter of southwest quarter.
- 40 acres in southeast quarter of southwest quarter.
- 27 acres in northwest quarter of southeast quarter.
- 40 acres in southwest quarter of southeast quarter.
- 10 acres in southeast quarter of southeast quarter.

Section 7:

- 40.26 acres in northwest quarter of northwest quarter.
- 40 acres in northeast quarter of northwest quarter.
- 40.18 acres in southwest quarter of northwest quarter.
- 40 acres in southeast quarter of northwest quarter.
- 40 acres in northwest quarter of northeast quarter.
- 40 acres in southwest quarter of northeast quarter.
- 38 acres in northeast quarter of northeast quarter.
- 40 acres in southeast quarter of northeast quarter.
- 40.1 acres in northwest quarter of southwest quarter.
- 40.2 acres in southwest quarter of southwest quarter.
- 40 acres in northeast quarter of southwest quarter.
- 40 acres in southeast quarter of southwest quarter.
- 39 acres in northwest quarter of southeast quarter.
- 31 acres in southwest quarter of southeast quarter.
- 37 acres in northeast quarter of southeast quarter.
- 38 acres in southeast quarter of southeast quarter.

Section 8:

- 12 acres in northwest quarter of northwest quarter.
- 28 acres in southwest quarter of northwest quarter.

20854

Township 35 South, Range 24 East, W. M., Lake County

Section 24:

20 acres in lot 1.
10 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$
40 acres in lot 2.
32.0 acres in Lot 3
26.5 acres in Lot 4

Section 25:

40 acres in lot 2.
14.3 acres in lot 3.
33.3 acres in lot 4.
33.3 acres in lot 5.
40 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$
40 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$
32 acres in lot 1.

Section 36:

33.3 acres in NW $\frac{1}{4}$ NE $\frac{1}{4}$
40 acres in NE $\frac{1}{4}$ NW $\frac{1}{4}$
40 acres in SE $\frac{1}{4}$ NW $\frac{1}{4}$
33.3 acres in SW $\frac{1}{4}$ NE $\frac{1}{4}$
40 acres in NE $\frac{1}{4}$ SW $\frac{1}{4}$
40 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$
33.3 acres in NW $\frac{1}{4}$ SE $\frac{1}{4}$
33.3 acres in SW $\frac{1}{4}$ SE $\frac{1}{4}$

Section 35:

10 acres in NE $\frac{1}{4}$ SE $\frac{1}{4}$
40 acres in SE $\frac{1}{4}$ SE $\frac{1}{4}$
5 acres in SW $\frac{1}{4}$ SE $\frac{1}{4}$

Township 35 South, Range 25 East, W. M., Lake County

Section 30:

40 acres in Lot 4.

Section 31:

40 acres in lot 1.
40 acres in lot 2.
40 acres in lot 3.
39 acres in lot 4.
40 acres in lot 5.
40 acres in SE $\frac{1}{4}$ NW $\frac{1}{4}$
35 acres in SE $\frac{1}{4}$ SW $\frac{1}{4}$

township 36 south, range 25, E. W. M. Lake County, continued.

Section 18.

- ✓ 160 acres in northwest quarter. ✓
- ✓ ~~100 acres in northwest quarter of southwest quarter.~~ ✓
- ✓ 37.08 acres in southwest quarter of southwest quarter. ✓
- ✓ 80 acres in east half of southwest quarter. ✓
- ✓ 34 acres in northwest quarter of northeast quarter. ✓
- ✓ 31 acres in southwest quarter of northeast quarter. ✓
- ✓ 29 acres in northeast quarter of northeast quarter. ✓
- ✓ 38 acres in southeast quarter of northeast quarter. ✓
- ✓ 37 acres in northwest quarter of southeast quarter. ✓
- ✓ 37 acres in northeast quarter of southeast quarter. ✓
- ✓ 41.3 acres in southwest quarter of southeast quarter. ✓
- ✓ 26.0 acres in southeast quarter of southeast quarter. ✓

Section 19:

- ✓ 22 acres in lot 8. ✓
- ✓ 6 acres in lot 9. ✓

total acreage, ~~4363.50~~ acres.

~~4366.04~~ ✓
4276.54

Municipal or Domestic Supply

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 15,000.00

12. Construction work will begin on or before already completed.

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before August 1, 1952,

depending upon amount of overflow, in any, from Hart Lake, during irrigation season of 1951.

Leon Lynch
(Signature of applicant)

By: *Forrest E. Cooper*
Forrest E. Cooper, his attorney.

Remarks: purpose of application is to obtain a supplemental right to irrigate by pumping, during periods when Hart Lake does not overflow, that certain acreage owned by applicant, which was awarded a right to the waters of Hart Lake, in the Matter of the Adjudication of the relative rights to the waters of Warner Lakes and their tributaries by a decree of the Circuit Court for Lake County, dated September 30, 1929, and then owned by applicant's predecessor in interest, Lake County Land & Livestock Company, a corporation.

Under Item 8 the lands listed in Sections 1 and 2, Township 36 S., Range 25 E. W.M. are for primary irrigation. All other lands listed are for supplemental irrigation.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for revisions

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 21, 19 51.

WITNESS my hand this 20th day of April, 19 51.

CHAS. E. STRICKLIN
STATE ENGINEER

STATE ENGINEER
SALEM, OREGON

By: *Ed K. Humphrey*
Ed K. Humphrey, Assistant

dec

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 106.9 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hart Lake

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed therein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 15, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1952

Charles E. Stuebel
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 257229
 Permit No. 20854

PERMIT
 TO APPROPRIATE THE PUBLIC
 WATERS OF THE STATE
 OF OREGON

Division No. District No.

This instrument was first received in the
 office of the State Engineer at Salem, Oregon,
 on the 15th day of March
 1951, at 1:23 o'clock P. M.
 Returned to applicant:

Corrected application received:

Approved: MAP 21

Recorded in book No. 51 of
 Permits on page 20854
 CHAS. E. STUEBEL
 STATE ENGINEER

Drainage Basin No. 13 Page 47
 Fees Paid \$ 103.27