APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	Fred Wolle		*************	***************************************	*****	
of	562 Nission	St; Se	memorial representation of the second	plicant) SCO		
State of	Calif.	10	do herebu	maka annliastis	- fon - manual	• • • • • • • • • • • • • • • • • • •
	scribed public waters	•				
If the	applicant is a corpora				ion	
1. The	source of the propose			Cow Creek	· · · · · · · · · · · · · · · · · · ·	
				of South	(Name of stream)	***
2 The	amount of water wh					
•						
cubic feet per	r second	(If water	ls to be used from	more than one source.	give quantity from	 each)
**3. The	use to which the was	ter is to be	applied is	irriga	tion	•••••••••••••••••••••••••••••••••••••••
				(irrigation, power, min	ing, manufacturing	, domestic supplies, etc.)
4. The	point of diversion is	located	ft	and	ft	from the
	.7 ft. East an				e north o	nuarter
9 ec	tion corner of	Section	n26., T.	.30 S; R. 6	W; W.M.	
	(If	preferable, give	distance and bear	ting to section corner		
•	*******************************					
	the NE q	uarter	or rue M	described. Use separate Quarter	~ /	Tp. 30 S;
	, W. M., in the coun					
5. The	portable Pi	pe line	pe line)	to be	CAG	
	minating in the				· ••	Tp
						ipanying map.
		DESCI	RIPTION O	T WODKS		
D:	,	1,1001	AII HON O	WORKS		
Diversion Wo						
	Height of dam no d					
***************************************	feet; material to l	be vsed and	character of	construction	(Loc	se rock, concrete, masonry,
	ber crib, etc., wasteway over o	r around dam)		•		
(b) Des	scription of headgate	****	(Timbe	, concrete, etc., numbe	r and size of openir	
(0) 14 4	vater is to be pumped	l gina gana	al deserted	Model 2	TPU DA	Les or Dans
					(Size and type of	DUM D /
to p.	p. 3 Ph. Elec	MOTOR of engine or mos	4 inch	suction al head water is to be if	35 ft.	head.
	•••••	• • • • • • • • • • • • • • • • • • • •	*******			

^{*}A different form of application is provided where storage works are contemplated.

^{*}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	adgate. At headgate: width on top (at water line)					••••••	feet; width on bott		
housend feet.	feet; depth of water			feet; grade feet fall per					
(b) At	enno pro vegan remapo en entro o la espes	_ miles from	headoate:	width on	ton (at	mata	τ line)		
*********	jest; width on	bottom		tea	et: dent	hofu	pater fo		
rade	feet fa	ill ver one the	nisand to		e, aepi	n oj u	o uter fo		
					,				
rom intake	5 in		o, size at 1	:тіаке,).	4	•••••••••	in.; size at 1020		
ntake and place	of was	3.5	: 07 use	······································	i1	2.; d if	ference in elevation betwe		
ot over 0.	5	12 Jt.	Is grade	uniform?	У.	9.5	Estimated capac		
•	•								
Township	on of area to be	irrigated, or	place of u	se					
•	1	·		Forty-acre 7	ract		Number Acres To Be Irrigated		
30 S.	6 W.	26	NE	qur. o	f AE	qua	r7.3		
			NW	***	NE	n	26.6		
			NE	77	NW	n	none		
			SE	Ħ	NW	11	none		
							tot.33.9 ac.		
	_								
		-							
					-				
						·			
						<u> </u> -			
	-	(If more space			eet)				
(a) Charac	cter of soil	*** * *** Fr * * ****	lay su	• • •					
(b) Kind o	f crops raised.	Alf alfa	and f	ruit					
wer or Mining									
	al amount of por						, theoretical horsepowe		
	intity of water t		power			sec.	ft.		
	al fall to be utili		(Head)		. fcet.				
(d) The	nature of the w	orks by mean.	s of which	the powe	r is to l	be der	veloped		
••••		· · · · · · · · · · · · · · · · · · ·	•		* •••				
(e) Such	n work s to be loc	ated in	** *				of Sec.		
(No. N. or S.)	, R	, W. M	(L	egai subdivisio	ומי		o, occ.		
	ater to be return								
	o, name stream o		7.0	AR AT MAI	•				
		Sec							
				, . p.		,	R . $R^r M$		
(h) The	use to which no	mer je ta ha	nnlied :	(1	Vo∵N. or S.)	(Nc E. or W.)		
(h) The	use to which por	wer is to be a	oplied is		lo∵N. or S.		(Nc E or W.)		

an estimated population of	e present population of
	mber of families to be supplied
	sections 11, 13, 13, and 16 in all cases)
11. Estimated cost of proposed works,	* 3.000.00
	or before immediately on notice of acce
13. Construction work will be comple	
	ied to the proposed use on or before 7-1-1952
	(Signature of applicant)
Remarks: Description	of tract, a portion of which is to be
	, is given in three transfers which are
	cords in Vol. 134, Pg. 96 and Vol. 134,
	on Sale Contract V.4176 C. and the boun-
	as Beginning at a point on the north line
• • •	
DY SAL OF TOO ST.	
OI Sec. 26, T. 30 S; R. 6;	W.W.M; at its intersection with the left
bank of Cow Creek, 2124.7	ft. E. of the North quarter sec. corner
said sec. 26, thence running	ft. E. of the North quarter sec. corner of W. 2360.3 ft. along the north line of
said sec. 26, thence running	ft. E. of the North quarter sec. corner
said sec. 26, thence running sec. 26, thence S.1610.4 ft	ft. E. of the North quarter sec. corner on W. 2360.3 ft. along the north line of t. to the left bank of Gow Creek, thence
said sec. 26, thence running sec. 26, thence S.1610.4 ft	ft. E. of the North quarter sec. corner of W. 2360.3 ft. along the north line of
said sec. 26, thence running sec. 26, thence S.1610.4 ft	ft. E. of the North quarter sec. corner on W. 2360.3 ft. along the north line of t. to the left bank of Gow Creek, thence
said sec. 26, thence running sec. 26, thence S.1610.4 ft	ft. E. of the North quarter sec. corner on W. 2360.3 ft. along the north line of t. to the left bank of Gow Creek, thence
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, down	of the North quarter sec. corner of the North line of the Left bank of Cow Creek, thence we stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, down	ft. E. of the North quarter sec. corner on W. 2360.3 ft. along the north line of t. to the left bank of Gow Creek, thence
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, down	of the North quarter sec. corner of the North line of the Left bank of Cow Creek, thence we stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, down	of the North quarter sec. corner of the W. 2360.3 ft. along the north line of the to the left bank of Cow Creek, thence we stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, down	ng W. 2360.3 ft. along the north line of t. to the left bank of Gow Creek, thence wn stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, down	of the North quarter sec. corner of the Month 2360.3 ft. along the north line of the to the left bank of Cow Creek, thence with stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, down	of the North quarter sec. corner of the Month 2360.3 ft. along the north line of the to the left bank of Cow Creek, thence with stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, down	of the North quarter sec. corner of the Month 2360.3 ft. along the north line of the to the left bank of Cow Creek, thence with stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank along said creek bank along said creek bank.	of the North quarter sec. corner of W. 2360.3 ft. along the north line of t. to the left bank of Cow Creek, thence with stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank, downward of the sec. 26 along said creek bank along said	of the North quarter sec. corner of the Month 2360.3 ft. along the north line of the to the left bank of Cow Creek, thence with stream to the place of beginning.
said sec. 26, thence running sec. 26, thence S.1610.4 ft along said creek bank, downward of the same for	of the North quarter sec. corner of the E. of the North line of the tothe left bank of Cow Creek, thence were stream to the place of beginning.

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, BUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein gro	rated is li	mited to th	e emount o	f water whi			
	ut expeed							
stream, or	its equivalent i	n case of t	rotation wi	ith other wo	iter users, fi	romCom C	reek	

The	use to which th	is water i	to be app	lied is Ix	rigation		•	٠
	*	·····				· · · · · · · · · · · · · · · · · · ·	• • • • • •	
	r irrigation, this							
	r its equiva							
	ion of not to							
	on season of							ersion:
of not	to exceed 0.1							
						•		
	be subject to su							ficer.
	priority date o							
	ual construction							
	r be prosecuted							-
	1, 1954							
Con	mplete applicati	on of the	water to t	he proposed	l use shall be	e made on or	before	
October	1, 1955							
WI	TNESS my han	d this	31st	day of	March		. 194.52	
								ENGINEER
Реп	mits for power develop	oment are sub	ject to the pay	ment of annual	fees as provided	in sections t and	i 2, chapter 74 Ore	gon Laws 1933.
			ž Ę				50 1 ,	
	స్త		rii u Orego	· ·			S69	раде
M or	PUBLIC ATE	.0	em, C	X		: • k	. 0. C.	Page
12 m	RMIT STATE THE PUBL OF THE STATE OREGON	District No.	te Engineer at Salem, O	σ	;;		086.9 18.3.	Pa
200	MIT E THE SGON	Distr	s first leer o	بخ ج	ceive	· ·	∾ &	3
No.	PERMI PPRIATE RS OF TH OF OREG		t was Engin y of	o'clo ant:	ion re	•	3 × ×	n No
ition No.	PE ROPR ERS OF		imeni tate I dai	20 pplice	licati	: :	n boo 1ge	in No
Application No. Abb & L. J. Permit No. 2056.	PERM APPROPRIATE WATERS OF TI	No.	nstru ihe S	to an	i app	d: 19°2	ded 1	s Bas
A ₁ Pe	TO V	Division No.	This instrument was jurst received in the office of the State Engineer at Salem, Oregon, and the 1.5 day of $November$	194 5', at C.O.O. o'clock Returned to applicant:	Corrected application received	Approved:	Recorded in book No. Permits on page	Drainage Basin No. Fees Paid
		Divi	offic	194 Retu	S	A pp	Per	Dra