## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

(Malling address)	orth Bend,
State of Oregon , do here	
following described public waters of the State of Ore	gon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and	place of incorporation
1. The source of the proposed appropriation is	Kentuck Creek
, a tribut	(Name of stream)
2. The amount of water which the applicant into	
cubic feet per second.	
(It water is to be used	from more than one source, give quantity from each)  IPTIGATION  (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	<u> </u>
4. The point of diversion is locatedft	(N. or S.) and ft from the
corner of Portable pumping - Divers	ion full length of Kentuck Creek
through SEt of Sec. 6, T25S, R12W, W.	on or subdivision) M. the reference monument for which
cears North 12° 30' West a distance o	f 1120 0 ft from the GR
	1 1120.0 it from the Sk corner
of Sec. 6, T25S, R12W, W.M.  (If preferable, give distance and	bearing to section corner)
******	
(If there is more than one point of diversion, each must being within the SE2	t be described. Use separate sheet if necessary)  of Sec. 6, Tp. 253
R. 12W , W. M., in the county of COOS	(M) 0 1
(E. or W.)	eres eres and a second of the contract of the
5. The 3" and 4" portable pipe	to be 1200 ft
5. The 3" and 4" portable pipe	to be 1200 ft
5. The 3" and 4" portable pipe (Main ditch, canal or pipe line) in length, terminating in the SE2 (Smallest legal subdivision	to be 1200 ft
5. The 3" and 4" portable pipe (Main ditch, canal or pipe line) in length, terminating in the SE2 (Smallest legal subdivision	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255  (N. or S.)  g shown throughout on the accompanying map.
5. The 3" and 4" portable pipe (Main ditch, canal or pipe line) in length, terminating in the SE2  (Smallest legal subdivision R. W. M., the proposed location being DESCRIPTION	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255  (N. or S.)  g shown throughout on the accompanying map.
5. The 3" and 4" portable pipe  (Main ditch, canal or pipe line)  in length, terminating in the SE2  (Smallest legal subdivision  R. 12W W. M., the proposed location being  DESCRIPTION  Diversion Works—	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255  (N. or S)  shown throughout on the accompanying map.  OF WORKS
5. The 3" and 4" portable pipe (Main ditch, canal or pipe line) in length, terminating in the SE1 (Smallest legal subdivision R. 12W W. M., the proposed location being DESCRIPTION  DESCRIPTION  Diversion Works— 6. (a) Height of dam None feet, len	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255  (N. or S.)  shown throughout on the accompanying map.  OF WORKS  gth on topfeet. length at bottom
5. The 3" and 4" portable pipe  (Main ditch, canal or pipe line)  in length, terminating in the SE (Smallest legal subdivision R. 12W W. M., the proposed location being DESCRIPTION  DESCRIPTION  Diversion Works—  6. (a) Height of dam None feet, len  feet; material to be used and character	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255  (N. or S.)  g shown throughout on the accompanying map.  OF WORKS  gth on topfeet. length at bottom  r of construction(Louse rock, concrete, masonry,
5. The 3" and 4" portable pipe (Main ditch, canal or pipe line) in length, terminating in the SE2 (Smallest legal subdivision R. 12W W. M., the proposed location being DESCRIPTION  DESCRIPTION  One feet, length of dam None feet, length of dam brush, timber crib, etc., wasteway over or around dam)	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255  (N. or S.)  shown throughout on the accompanying map.  OF WORKS  gth on top feet, length at bottom  r of construction (Louse rock, concrete, masonry,
5. The 3" and 4" portable pipe (Main ditch, canal or pipe line) in length, terminating in the SE2  R. 12W W. M., the proposed location being DESCRIPTION  DESCRIPTION  Output  Diversion Works—  6. (a) Height of dam None feet, length of dam feet; material to be used and character	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255  (N. or S)  shown throughout on the accompanying map.  OF WORKS  gth on top feet, length at bottom  r of construction (Louse rock, concrete, masonry,
5. The 3" and 4" portable pipe (Main ditch, canal or pipe line) in length, terminating in the SE2 (Smallest legal subdivision R. 12W W. M., the proposed location being DESCRIPTION  DESCRIPTION  6. (a) Height of dam None feet, len feet; material to be used and character rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate None (Times)	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255  (N. or S.)  shown throughout on the accompanying map.  OF WORKS  gth on top feet. length at bottom  r of construction  (Louse rock, concrete, masonry, mber, concrete, etc., number and size of openings)
5. The 3" and 4" portable pipe (Main ditch, canal or pipe line)  in length, terminating in the SE2 (Smallest legal subdivision R. 12W W. M., the proposed location being DESCRIPTION  DESCRIPTION  6. (a) Height of dam None feet, len feet; material to be used and character rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate None (Times)	to be 1200 ft  (Miles or feet)  of Sec. 6 , Tp. 255 (N. or S)  shown throughout on the accompanying map.  OF WORKS  gth on top feet, length at bottom  r of construction  (Louise rock, concrete, masonry,  niber, concrete, etc., number and size of openings)  stion 12 hp gas or electric drive  (Size and type of pump)  ift to be approx. 10 ft with a

<sup>&</sup>quot;A different form of application is provided where storage works are contemplated.

20874				
Canal System or	Pipe Line—		٠	
7. (a) Git	e dimensions a	t each point of	canal where materially	changed in size, stating miles from
headgate. At hea	idgate: width o	n top (at water	line)	feet; width on bottom
thousand feet.	feet; depth of	water	feet; grade	feet fall per one
(b) At	***************************************	. miles from h	eadgate: width on top (a	t water line)
	feet; width on	bottom	feet; dep	th of water feet;
grade	feet fa	ll per one thou	sand feet.	
(c) Lengti	of pipe,12	00 ft.;	size at intake, 4	in.; size at 600 ft.
from intake	3" in.	; size at place (	of use 3	in.; difference in elevation between
				es Estimated capacity,
.40	sec. ft.	۵		
8. Locatio	n of area to be	irrigated, or pl	ace of use	
Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25\$	12W	66	SE1.SE1	18.1
25S	124	6	SW1,SE1	3.9
259	12₩	6	NET, SET	1.5
258	127	6	NW1, SE1	7.0
Beginnin	where Ke	ntuck Slou	gh crosses the s	ection line between
	1	Ī		ollowing said creck
	1	t	í e	e crosses the west
	4			e South on 1 section
	1			section corner;
	l .		_	aining 87 acres more
	l		os, State of Ore	i e
		(If more space	required, attach separate sheet)	
	ter of soffand			
	•	Permane	nt pasture.	
Power or Mining	Purposes— al amount of po	vivor to be done	oloned None	
			nopeu	theoretical horsepower.
•	intity of water			sec. ft.
	al fall to be uti		(Heid)	
(a) The	nature of the t	vorks by mean:	s of which the power is t	o be developed
(a) C	h anashi a .			•
-	h works to be lo		(Legal subdivision)	of Sec.
	, R(No. 1			
(f) Is u	vater to be retu	rned to any str	eam? ——	

(g) If so, name stream and locate point of return

(h) The use to which power is to be applied is ....

(i) The nature of the mines to be served

, Sec. ... , Tp. ... , R.

.... W. M.

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 ......

WITNESS my hand this day of

st of proposed works, \$ 2,000

## PERMIT

State	op	OREGON,	)
Coss	ubu a	OREGON,	<b>32.</b>

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall not amount 0.38 whis fast names and manning at the	be applied to beneficial use			
and shall not exceed 0.38 cubic feet per-second measured at the point of diversion from the				
tream, or its equivalent in case of rotation with other water users, from				
The use to which this water is to be applied is Irrigation	······································			
If for irrigation, this appropriation shall be limited to 1/80	ef one cubic foot per			
econd or its equivalent for each acre irrigated from direct	flow and shall be further			
imited to a diversion of not to exceed 22 acre feet per acre during the irrigation season of each year,	e for each acre irrigated			
	······································			
and shall be subject to such reasonable rotation system as may be ordered by				
The priority date of this permit is November 19, 1251				
Actual construction work shall begin on or before	and shall			
thereafter be prosecuted with reasonable diligence and be completed on or	before			
October 1, 1954				
Complete application of the water to the proposed use shall be made	on or before			
October 1, 1955	do			
WITNESS my hand this 31st day of March	0 11 1			
Chase	STATE ENGINEER			

260X	308
Application No.	Permit No

This instrument was first received in the

District No.

Division No.

office of the State Engineer at Salem, Oregon, on the 19 day of November

1951., at . B. 20. o'clock ... A ...... M. Returned to applicant:

Corrected application received:

Recorded in book No. 20874 MAR 31 1952

Approved:

of

טואשטי עי טבטוטאוווא STATE ENGINEER

Permits on page ....

Drainage Basin No. / 7 Fees Paid # 15.15

Page 4