

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, C.H. Stone of Troutdale Ore. R2 Box 216 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fair Creek and Reservoir Cont. under off # R 25632, a tributary of Fair Slough

2. The amount of water which the applicant intends to appropriate is 235 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 770 ft. S and 30 ft. W from the corner of sec 33 T1N R2E W.M. NE 1/4 N 1/2 sec 33 T1N R2E W.M.

being within the of Sec. of Tp. (N. or S.)

R. W. M., in the county of

5. The to be in length, terminating in the of Sec. of Tp. (N. or S.)

R. S E W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1 feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 17.00 ft.; size at intake, 4 in.; size at 17.00 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 1.0 to 2.0 ft. Is grade uniform? No Estimated capacity, 0.5 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	3 E	33	NE 1/4 NE 1/4	15 15
1 N	3 E	33	SE 1/4 NE 1/4	1 1
1 N	3 E	34	NW 1/4 NW 1/4	4 4

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)

Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

Domestic or Domestic Supply

(a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) For domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 600.00
- 12. Construction work will begin on or before May 1 1952
- 13. Construction work will be completed on or before June 1 1952
- 14. The water will be completely applied to the proposed use on or before July 1 1952

W. Stone
(Signature of applicant)

Remarks: This is an application to include the balance of my farm in the water right to be taken from Fairview Creek and from the dam on my dam. At present my right includes approximately 29.6 acres and I am asking for an increase to 48.25 acres more which includes the

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____.

WITNESS my hand this _____ day of _____, 19 _____.

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fairview Creek and reservoir constructed under Application No. R-25632, Permit No. R-1149

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir constructed under Permit No. R-1149,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 29, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1952

Chas E Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

6122

Application No. 26674

Permit No. 20887

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of November 1951, at 10:45 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

MAR 31 1952

Recorded in book No. 51 of

Permits on page 20887

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$15.00