

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Cyril A. Leratta Jacobs, of Garibaldi Ore. Bay City, Ore. State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Miami River, a tributary of Tillamook Bay

2. The amount of water which the applicant intends to apply to beneficial use is 36 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 85.0 ft. North and 800 ft. West from the S.E. corner of SW 1/4 of SE 1/4 of SEC. 11, T. 1 N. R. 10 W. W. M.

being within the SW 1/4 of SE 1/4 of Sec. 11, Tp. 1 North R. 10 West, W. M., in the county of Tillamook

5. The Main pipe line to be 480 ft in length, terminating in the SW 1/4 of SE 1/4 of Sec. 11, Tp. 1 North R. 10 West W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 5 H.P. Electric Motor With 2" 2 W.S.-2 W.Y.S.S. Pump 162 G.P.M. 98 ft head

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

20001

7. (a) (Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c). Length of pipe, 1660 ft.; size at intake, 4" in.; size at 480 ft. from intake 4" in.; size at place of use 4 3/8" in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? YES Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 North	10 West	11	SW 1/4 of SE 1/4	14.9 Acres
"	"	14	NW 1/4 of NE 1/4	14.9 Acres

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam
(b) Kind of crops raised Pasture & Hay

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
(b) Quantity of water to be used for power sec. ft.
(c) Total fall to be utilized feet.
(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2,050.00
- 12. Construction work will begin on or before July 15, 1952
- 13. Construction work will be completed on or before August 30, 1952
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1952

Cyril G. Jacobs - Loretta Jacobs
(Signature of applicant)

Remarks: _____

SW 1/4 of SE 1/4 of Sec 11, T1N. R10W. WM.
Tract 2693; Beg at SW cor. of SE 1/4 of SE 1/4 of Sec. 11, T1N. R10W.
on South line of Sec. 11; thence in Northerly direction along line
between Chas Blum & Hammond Lbr Co. 1312 ft to NW Cor.
SE 1/4 of SE 1/4 of Sec. 11; thence Easterly 300 ft along North line
of SE 1/4 of SE 1/4 of Sec. 11; thence Southerly and parallel to
West line of SE 1/4 of SE 1/4 of Sec. 11. 1296.0 ft to South boundary of
Sec. 11, thence Southerly in continuation of last named
direction 336.0 ft; thence in a Westerly direction 300 ft to point
on West line of NE 1/4 of NE 1/4 of Sec 14, T1N. R10W. WM. which point
is 320.0 ft in a Southerly direction from SW Cor. of SE 1/4 of SE 1/4 of
Sec 11; thence Northerly along West line of NE 1/4 of NE 1/4 of Sec 14.
320.0 ft to place of beginning

Tract 1663: All that part of NW 1/4 of NE 1/4 of Sec 14, T1N. R10W. WM.
lying West of Co Road which runs North & South through said Section.
and all of the remainder of West 1/2 of NE 1/4 of Sec 14, lying North &
East of Co Road running Easterly & Southerly through said section
except bottom land in SE cor of SW 1/4 of NE 1/4 of said section
containing 85 Acres

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.36 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Miami River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/30 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.36 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 5, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 19 52

Charles E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 26682 Permit No. 20891

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No. This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5 day of December 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

MAR 31 1952 Recorded in book No. 51 of

Permits on page 20891

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. Page

Fees Paid