

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, S.L. CARLI, of Rt. 1, Box 80, Clackamas State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Un-named intermittent stream and reservoir, a tributary of The Clackamas River

2. The amount of water which the applicant intends to apply to beneficial use is 0.15 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1000 ft S and 2720 ft E from the NW corner of Section 15

Point of diversion also located 2890 ft S 69°30' E of the NW corner of Section 15, T 2 S, R 2 E W.

being within the NW 1/4 of the NE 1/4 of Sec. 15, Tp. 2 S, R. 2 E, W. M., in the county of Clackamas

5. The pipe line to be 150 ft in length, terminating in the NW 1/4 of Sec. 15, Tp. 2 S, R. 2 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam 5 feet, length on top 125 feet, length at bottom 150 feet; material to be used and character of construction Loose rock, concrete, masonry.

(b) Description of headgate

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 700 ft.; size at intake, 2 in.; size at main line <sup>4 in.</sup> ft. from intake ..... in.; size at place of use 2 in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

**8. Location of area to be irrigated, or place of use**

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	2 E	15	NW $\frac{1}{4}$ of the NE $\frac{1}{4}$	5
"	"	"	NE $\frac{1}{4}$ of the NW $\frac{1}{4}$	4 Supp.
"	"	"	SE $\frac{1}{4}$ of the NW $\frac{1}{4}$	2 Supp.

(If more space required, attach separate sheet)

(a) Character of soil sandy loam

(b) Kind of crops raised vegetables

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... (Head) ..... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... (Legal subdivision) ..... of Sec. ....

Tp. ...., R. ...., W. M. ....

(f) Is water to be returned to any stream? no (Yes or No)

(g) If so, name stream and locate point of return .....  
....., Sec. ...., Tp. ...., R. ...., W. M. ....

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ about 2001
- 12. Construction work will begin on or before May 1952
- 13. Construction work will be completed on or before April 1952
- 14. The water will be completely applied to the proposed use on or before June or July 1952

*[Handwritten Signature]*  
(Signature of applicant)

Remarks: I would like to retain my water right on the river.

My river permit is no 17605

Beginning at a point 286.2 feet East from the section quarter corner on the line between Sections 10 and 15, in T. 2 S., R. 2 E., of the W. M: running thence South 896.9 feet; thence South 58° 17½' West 102.7 feet; thence South 76° 15' West 158.4 feet; thence South 5° 20' West 65.7 feet; thence North 66° 07' West 75 feet; thence South 77° 56' West 99.5 feet; thence North 79° 45' West 87.2 feet; thence South 89° 50' West 320 feet; to the Southeast corner of a tract conveyed to Andrew C. Melnhofer by deed recorded July 8, 1916, Book 143, Page 400, Deed Records; thence North 84° 54' West 103.56 feet; thence North 77° 15' West 138.42 feet; thence South 60° 40' West 195 feet to the right bank of the Clackamas river; thence up stream following the meander of the river to the line between Lots 2 and 3 of said section 15; thence North along said line to the Northwest corner of said Lot 2; thence East along the North line of said Lot 2 to the Southwest corner of the land conveyed to A. C. and A. J. Melnhofer, by deed recorded in Book 143, page 399, Records of Clackamas County; thence North along the West line of said tract 579.9 feet; thence North 0° 15' East 736.5 feet; thence West 143.9 feet to the place of beginning; ~~thence South 150 feet to the place of beginning~~ save and except a right of way 15 feet wide as now used for ingress and egress to property owned by the grantor, said right of way being along the northerly boundry of the property herein conveyed.

Book 450 Page 568

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 18 , 19 52.

WITNESS my hand this 25th day of December, 19 52.

..... STATE ENGINEER  
by Ed A. Humphrey, Assistant

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.138 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under Application No. R-26696, Permit No. R- 1289

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R- 1289 ; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 7, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 19 52

Chas E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26697
Permit No. 20899
PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON
Division No. District No.
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31st day of March 1952, at 11:00 o'clock A.M.
Returned to applicant:
Corrected application received:
Approved: MAR 31 1952
Recorded in book No. 51 of Permits on page 20899
CHAS. E. STRICKLIN STATE ENGINEER
Drainage Basin No. 2 Page 105
Fees Paid \$ 15.00