

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Everett O. and Lena E. Watters, husband and wife of Route 1, Box 218, Lebanon, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Fall Creek,

1. The source of the proposed appropriation is North Fork Fall Creek and Spring Branch and reservoir, a tributary of McDowell Creek

2. The amount of water which the applicant intends to apply to beneficial use is .22 cubic feet per second. (1) .05 (2) .085 (3) .085

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located (1) 1000 S and 000 ft. (2) 820 S and 110 ft. (3) 160 S and 10 ft. from the corner of SE 1/4 of Sec. 2, T. 13 S., R. 1 E.

being within the NW 1/4 of SE 1/4 of Sec. 2, Tp. 13 S., R. 1 E., W. M., in the county of Linn

5. The Main pipe line to be 1200 feet in length, terminating in the SW 1/4 of NE 1/4 of Sec. 2, Tp. 13 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam (1) 10 (2) 8 (3) 8 feet, length on top 100 feet, length at bottom 20 feet; material to be used and character of construction will consist of loose rock, concrete, masonry, spillways around end.

(b) Description of headgate

(c) If water is to be pumped give general description 2" centrifugal pump powered by 1/2 H.P. electric motor - 4 foot lift.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 4 in.; size at 1200 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use (see below)

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	1 E	2	SW ¹ / ₄ of NE ¹ / ₄	8.0
13 S	1 E	2	NW ¹ / ₄ of SE ¹ / ₄	9.6
				17.6

The North half of the Southeast Quarter and the Southwest Quarter of the Northeast Quarter of Section two in Township 13 South of Range One East of the Willamette Meridian, in Linn County, State of Oregon, and containing 120 acres, more or less, according to Government survey of same.

ALSO:

The Southeast quarter of the Northeast quarter of Section two, Township 13 South, Range One East of the Willamette Meridian in Linn County, Oregon.

--	--	--	--	--

(If more space required, attach separate sheet)

(a) Character of soil ... Aiken

(b) Kind of crops raised ... Pasture and hay

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized (Head) feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in (Legal subdivision) of Sec.

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Statement of Domestic Supply

1. To supply the city of _____
 _____ County, having a population of _____
 and an estimated population of _____ in 19____
 for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 3000.00
- 12. Construction work will begin on or before June 15, 1952
- 13. Construction work will be completed on or before Sept. 15, 1955
- 14. The water will be completely applied to the proposed use on or before Sept. 15, 1957

Everett O. & Lena E. Watters
 (Signature of applicant)

Remarks:

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying map and data, and return the same for _____
 in order to retain its priority, this application must be returned to the State Engineer, with corrections, if any, on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .220 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fall Creek, North Fall Creek and Spring Branch, being .05 from Fall Creek, .085 from North Fork Fall Creek and .085 from spring branch and reservoir to be constructed under Application No. R-26701, Permit No. R- 1291

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R- 1291

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 10, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1952

Chas E Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 2472

Permit No. 31

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10 day of December 1951, at 8:00 o'clock A. M. Returned to applicant:

Corrected application received:

Approved:

MAR 11 1952

Recorded in book No. 51 of 20901

Permits on page

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 424

Fees Paid \$ 15.00