

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Gec. and Martha Fritz, husband and wife
of Rt. 2, Box 188, Lebanon
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Santiam River
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1.25
cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 2145 ft. N. and 2567 ft. E from the SW
corner of Section 2, Township 13 S. Rt. 1 W.
(Reference monument set N. 5° W. 2126.5 feet of SE corner of SW of Sec. 2, T. 13 S.,
R. 1 West)

being within the NE of SW of Sec. 2, Tp. 13
R. 1 W., W. M., in the county of Linn

5. The main pipe line to be 2000'
in length, terminating in the NE of SW of Sec. 2, Tp. 13
R. 1 W., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" centrifugal pump powered by
10 H.P. electric motor 6 foot lift.

\*A different form of application is provided where storage works are contemplated.
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 2000 ..... ft.; size at intake, ..... 6 ..... in.; size at ..... 600 ..... ft. from intake ..... 4 ..... in.; size at place of use ..... 3 ..... in.; difference in elevation between intake and place of use, ..... 35 ..... ft. Is grade uniform? ..... Yes ..... Estimated capacity, ..... 1.25 ..... sec. ft.

8. Location of area to be irrigated, or place of use (see below)

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	1 W.	2	NE <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub>	11.8
13 S	1 W.	2	NW <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub>	36.0
13 S	1 W.	2	SW <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub>	21.0
13 S	1 W.	2	SE <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub>	28.2
				100.0
The East one-half of SW <sup>1</sup> / <sub>4</sub> and NW <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub> and Lot 4, in section 2, Township 13 South, Range 1 West of Willamette Meridian, Linn County, Oregon, containing 145 acres.				

(If more space required, attach separate sheet)

(a) Character of soil ..... Chehalis

(b) Kind of crops raised ..... Pasture, peppermint and vegetables

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....

• Tp. .... R. .... W. M.

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return ..... Sec. .... Tp. .... R. .... W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served



STATE OF OREGON,  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.250 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Santiam River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigate during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 10, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 1952

*Chas. E. Stricklin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 24225  
Permit No. 20904

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10 day of December 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

MAR 24 1952

Recorded in book No. 51 of

Permits on page 20904

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 2 Page 40

Fees Paid \$ 25.50