

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, E. BONES & WILLIAM H. HAYSTACK of Oregon, do hereby make application for a permit to appropriate the public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If applicant is a corporation, give date and place of incorporation

The source of the proposed appropriation is Spring & unnamed stream, a tributary of Tiller River

2. The amount of water which the applicant intends to apply to beneficial use is 2.000 cubic feet per second from unnamed stream

3. The use to which the water is to be applied is Domestic supply

4. The point of diversion is located 750 ft. S and 365 ft. W from the NE corner of Section 13 T4S R10W

being within the NE 1/4 NW 1/4 Sec. 13, Tp. 4S, R. 10W, W. M., in the county of Tillamook

5. The Pipe Line to be 0.20007 miles or feet in length, terminating in the Sec. 13, Tp. 4S, R. 10W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 5 feet, length at bottom 3 feet; material to be used and character of construction Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 220 ft.; size at intake, 3/4 in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
45	10W	13	NE 1/4 NW 1/4	20
<p>Commencing at the Northeast corner of the intersection of the Government Road with Oregon State Highway No. 14, thence N 6° 07' W along the east Boundary line of the State Highway No. 14 a distance of 100 feet for the point of beginning; thence N 6° 07' W 50 feet; thence N 80° 02' E to the Government Road; thence South along the West Boundary line of the Government Road 50 Feet; thence S 80° 02' West to the place of beginning; also the North east corner of Northwest quarter of Section 13, Township 45 North, Range 10 West of Willamette Meridian.</p> <p>(Above described property owned by)</p> <p>(If more space required, attach separate sheet)</p>				

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Supply of Domestic Supply

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied 2 116125

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100.00
- 12. Construction work will begin on or before JUNE 1957
- 13. Construction work will be completed on or before Aug 1957
- 14. The water will be completely applied to the proposed use on or before August 1957

William E. Bones
(Signature of applicant)
Raymond E. Bones

I am hereby given the right to construct a pipeline to their property in
Raymond E. Bones

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Commencing at the Northeast Corner of the intersection of the Government Road with Oregon State Highway No. 14 thence North 6° 07' West along the East boundary line of the State Highway No. 14, a distance of 50 feet for the point of beginning; thence North 6° 07' west 50 feet; thence North 80° 08' East to the Government Road; thence south along the West Boundary line of the Government Road 50 feet; thence South to the place of beginning, All in the Northeast quarter of the North of Section 13, township 4, South range 10 West of the Willamette Merriam Co, Oregon

(A part of property owned by Raymond E. Bones)

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application is to be returned to the State Engineer, with corrections on or before _____ January 15, _____

RECEIVED
JAN 7 1957
STATE ENGINEER
SALEM, OREGON

WITNESS my hand this _____ day of _____, 19____
W. Humphrey
STATE ENGINEER
W. Humphrey, Assistant

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring and unnamed stream, bring .01 from a spring and .01 from an unnamed stream.

The use to which this water is to be applied is Domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 13, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 19 52

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 2477
Permit No. 20908

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13 day of December 1951, at 2:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

MAR 31 1952

Recorded in book No. 51 of 20908
Permits on page

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$ 20.00