

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Clifford W. Jones, of Rowena, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation no

1. The source of the proposed appropriation is Branch of Spring Creek and reservoir, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

3. The use to which the water is to be applied is irrigation supplemental

4. The point of diversion is located 400 ft. S and 1250 ft. W from the N.E. corner of Section 28

being within the N.E. 40 A tract of Sec. 28 Tp. 3 S R. 2 W. W.M., in the county of Yamhill

5. The Reservoir to be 500 ft. in length, terminating in the N.E. 40 A tract of Sec. 28 Tp. 3 S R. 2 W. W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 15 feet, length on top 150 feet, length at bottom 15 feet; material to be used and character of construction dirt

(b) Description of headgate

(c) If water is to be pumped give general description 1 1/2 in. Cent. pump gasoline engine 16 H.P. head 35 ft. 16-8 gpm Sprinklers

*A different form of application is provided where storage works are contemplated **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3S	2W	28	NE 1/4 NE 1/4	20
3S	2W	28	NE 1/4 NE 1/4	20

(If more space required, attach separate sheet)

(a) Character of soil *Willamette Silt Loam*

(b) Kind of crops raised *Berries*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

(a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ _____
- 12. Construction work will begin on or before _____ *Completed*
- 13. Construction work will be completed on or before _____
- 14. The water will be completely applied to the proposed use on or before _____

Clifford W. Jones
(Signature of applicant)

Remarks: _____

Legal Description of Land covered by this application

Pt. Luke McKern Clm; Beg. on E line Clm. 15 chs. N of SE cor Clm.; W 10 chs., N 22.25 chs, E 10 chs to E line Clm, S 22.25 chs to beg. Containing 22.25 acres.

Sec. 21-28, T. 3S, R. 2W
Part of Luke McKern DLC; Beg. on E line said Clm. 15 chs. N of SE cor; Thence W 10 chs, Th. N 4.30 ch, Th. W 90 ch, Th. N 12.25 chs., Th. E 4.50 chs, Th. N 5 chs., Th. E 20.25 chs, Th. S 21.55 ch. to beg.
Ex. sold for Rd. way .37 ac., Vol 60-576
Ex. sold 12.25 ac. Vol. 64-388
Ex. sold 5.00 ac. Vol. 74-175
Ex. sold Vol. 74-374
Ex. sold Vol. 101-71 (.35 ac. Yamhill Co.)
Leaving 22.03 acres.

STA

C

_____ have examined the foregoing application, together with the accompanying maps and _____ same for _____

In _____ priority, this application must be returned to the State Engineer, with corrections on or _____ 19 _____

WIT: _____ and this _____ day of _____, 19 _____

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.250 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from branch of Spring Creek and reservoir to be constructed under Application No. R-26650, Permit No. R-1281

The use to which this water is to be applied is irrigation (supplemental)

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, from direct flow and storage from reservoir to be constructed under Permit No. R-1281; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 19, 1951

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March 19 52

Chas. F. Strickland STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26723
Permit No. 20914

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of December 19 51, at 10:30 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

MAR 31

Recorded in book No. 51 of

Permits on page 20914

CHAS. F. STRICKLAND STATE ENGINEER

Drainage Basin No. Page

Fees Paid \$1.00